

RoHS  Compliant

BOMcheck.net

Color: ■

## Data

### Electrical data

### Ratings per IEC/EN 60664-1

Legend (ratings)

(III / 2) ≙ Overvoltage category III / Pollution degree 2

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Approvals per UL 1059

Approvals per	UL 1059
---------------	---------

---

## Connection data

Number of connection types	1
----------------------------	---

---

## Geometrical Data

Pin spacing	7.5 mm / 0.295 inch
-------------	---------------------

---

## Material Data

Color	light gray
Fire load	0.04 MJ
Weight	1.3 g

---

## Commercial data

Product Group	26 (picoMAX)
Packaging type	BOX
Country of origin	DE
GTIN	4050821164920
Customs Tariff No.	85389099990

---

## Counterpart

## Downloads

### Documentation

#### Additional Information


Technical explanations	Apr 3, 2019	pdf 3.6 MB	Download
------------------------	-------------	---------------	----------

---

## Installation Notes

### Strain Relief

Subject to changes. Please also observe the further product documentation!



Gripping plates are suitable for factory and in-the-field assembly.

Subject to changes. Please also observe the further product documentation!