


## Data sheet | Item number: 211-856

Self-laminating labels; for Smart Printer; 15 x 22 mm; white

[www.wago.com/211-856](http://www.wago.com/211-856)



### Data

#### Technical Data

Marking	plain
Marking	plain
Units per delivery form	1,000 pcs/reel
Features	for max. 12 mm cable diameter
Marking device	Smart Printer (Thermal Transfer Printer)

#### Geometrical Data

Depth	0,12 mm
-------	---------

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Marking surface	12 x 23 mm
-----------------	------------

## Mechanical data

Mounting type	Wrapping
Smear resistance	smudge-proof in conjunction with 258-5014 Ink Ribbon

## Material Data

Color	white
Material	PVC
Adhesive information	Acrylic; permanent
Halogen-free	Yes
Weight	181 g

## Environmental Requirements

Surrounding air (storage) temperature	10 ... 22 °C
Surrounding air (operating) temperature	-30 ... 120 °C
Relative humidity	40 ... 50 %

## Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	DE
GTIN	4050821656869
Customs Tariff No.	39191080888

## Counterpart

## Compatible products

### Marking accessories

Item no.: 258-5000 Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi	<a href="http://www.wago.com/258-5000">www.wago.com/258-5000</a>
--	--

## Downloads

### Documentation

### Additional Information

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

## Installation Notes

### Marking



Remove the printed label from the sheet or reel.



Wrap the printed label around the conductor or cable.



The transparent laminate protects the marking.

Subject to changes. Please also observe the further product documentation!