Comb-style jumper bar; insulated; 3-way; IN = IN terminal block; gray

www.wago.com/279-483





Data Geometrical Data

 Width
 12 mm / 0.472 inch

 Depth
 3.89 mm / 0.153 inch

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/279-483



Material Data

Color	gray
Fire load	0.007 MJ
Weight	1 g

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4044918610445
Customs Tariff No.	85366990990

Counterpart

Compatible products

tools

Item no.: 279-433

Operating tool; made of insulating material; 3-way

www.wago.com/279-433

Downloads

Documentation

Additional Information

Technical explanations	Apr 3, 2019	pdf	Download
		2.1 MB	

CAD/CAE-Data

CAD data

2D/3D Models 279-483	URL	Download
CAE data		

Installation Notes

WSCAD Universe 279-483

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

URL

Download

www.wago.com/279-483



Jumpered



Commoning with comb-style jumper bar.

Push comb-style jumper bar down until fully inserted.

Jumpered



4-conductor through terminal blocks, angled type –

formation of groups with 3-way, comb-style jumper bars


Jumpered

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/279-483





Carrier terminal blocks with component plugs,

alternate comb-style jumper bars,

3-way, comb-style jumper bar

Jumpered



Commoning front-entry disconnect terminal blocks via comb-style jumper bar using a 10-pole operating tool.

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.