# Data sheet | Item number: 280-422 Adjacent jumper; insulated; IN = IN terminal block; yellow-green

www.wago.com/280-422





Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.



RoHS <b>√</b> Compliant	BOMcheck/net	Color:
Data		

## Electrical data

## Ratings per IEC/EN 60664-1

Rated current	24 A	
Geometrical Data		
Width	5 mm / 0.197 inch	
Depth	8 mm / 0.315 inch	
Material Data		
0.1		

i.

Color	yellow-green
Fire load	0.006 MJ
Weight	1.3 g

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
Packaging type	BOX
Country of origin	DE
GTIN	4044918253819
Customs Tariff No.	85366990990

## Counterpart

# Downloads Documentation Additional Information Technical explanations Apr 3, 2019 pdf Download 2.1 MB

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

## CAD/CAE-Data


## CAD data



2D/3D Models 280-422	URL	Download
CAE data		
WSCAD Universe 280-422	URL	Download

## Installation Notes

### Jumpered



Commoning ground conductor terminal blocks with through terminal blocks is possible in one direction only (via rear side of terminal block) using adjacent jumpers. In addition to the required marking of these blocks, use yellow-green adjacent jumpers.

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.