

Data sheet | Item number: 282-409

Alternate jumper; insulated; Nominal current 41 A; gray

[www.wago.com/282-409](http://www.wago.com/282-409)



## Data

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Electrical data

### Ratings per IEC/EN 60664-1

Rated current	41 A
---------------	------

### Approvals Ex

Rated current (Ex e II)	35 A
-------------------------	------

### Geometrical Data

Width	16 mm / 0.63 inch
-------	-------------------

Depth	8 mm / 0.315 inch
-------	-------------------

### Material Data

Color	gray
-------	------

Fire load	0.108 MJ
-----------	----------

Weight	3.6 g
--------	-------

### Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
---------------	----------------------------------

Packaging type	BOX
----------------	-----

Country of origin	DE
-------------------	----

GTIN	4044918255356
------	---------------

Customs Tariff No.	85366990990
--------------------	-------------

## Counterpart

## Downloads

### Documentation

#### Additional Information

Technical explanations	Apr 3, 2019	pdf 2.1 MB	Download
------------------------	-------------	---------------	----------

## CAD/CAE-Data

### CAD data

2D/3D Models 282-409

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

282-409 Models 282-409

[URL](#)

[Download](#)

#### CAE data


WSCAD Universe 282-409

[URL](#)

[Download](#)

## Installation Notes

### Jumpered



Additional commoning possible with circuit-related adjacent jumpers or testing option via test plug adapter (209-170) on transformer side.

Subject to changes. Please also observe the further product documentation!