


Data sheet | Item number: 706-2300/404-100

System cable; for Siemens S7-300; 8 analog inputs (current), var. 1; Length: 1 m (1 MOhm); Conductor cross-section: 0.25 mm²



www.wago.com/706-2300/404-100



Item description

Note:

When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

Data

Electrical Data

In-/Outputs	8 analog inputs (current)
Operating voltage	≤ AC/DC 35 V
Max. current per conductor	2 A

Safety and protection:

Protection class	IP20
------------------	------

Connection data

Connection type (1)	System
---------------------	--------

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Pluggable connector	Siemens 6ES7-392-1BM00-0AA0
Connection type (2)	System
No. of poles 2	25
Pluggable connector 2	D-sub; female connector
Type of cable	Li YCY
Cross section of single conductor	0.25 mm ²
Color coding	per DIN VDE 47100

Geometrical Data

Cable length	1 m
--------------	-----

Material Data

Weight	215 g
--------	-------

Environmental Requirements

Surrounding air (operating) temperature	-20 ... 50 °C
---	---------------

Commercial data

Product Group	30 ()
Packaging type	0
Country of origin	FR
GTIN	4045454881696
Customs Tariff No.	85444290900

Counterpart

Compatible products

transfer module

Item no.: 704-8013
Interface module for system wiring; Male connector; 25-pole

www.wago.com/704-8013

Downloads

Documentation

Additional Information

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Disposal; Electrical and electronic equipment, Packaging

V 1.0.0

pdf
265.8 kB

[Download](#)

CAD/CAE-Data

CAE data

WSCAD Universe 706-2300/404-100

[URL](#)

[Download](#)

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.