


## Data sheet | Item number: 706-2300/500-300

System cable; for Siemens S7-300; 4 analog outputs (current); Length: 3 m;  
Conductor cross-section: 0.25 mm<sup>2</sup>



[www.wago.com/706-2300/500-300](http://www.wago.com/706-2300/500-300)



### Item description

#### Note:

When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

### Data

#### Electrical Data

In-/Outputs	4 analog outputs (current)
Operating voltage	≤ AC/DC 35 V
Max. current per conductor	2 A

#### Safety and protection:

Protection class	IP20
------------------	------

#### Connection data

Connection type (1)	System
---------------------	--------

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Pluggable connector	Siemens 6ES7-392-1BJ00-0AA0
Connection type (2)	System
No. of poles 2	15
Pluggable connector 2	D-sub female connector
Type of cable	LIYCY
Cross section of single conductor	0.25 mm <sup>2</sup>
Color coding	per DIN VDE 47100

### Geometrical Data

Cable length	3 m
--------------	-----

### Material Data

Weight	319 g
--------	-------

### Environmental Requirements

Surrounding air (operating) temperature	-20 ... 50 °C
---	---------------

### Commercial data

Product Group	30 ()
Packaging type	0
Country of origin	FR
GTIN	4045454963118
Customs Tariff No.	85444290900

### Counterpart

### Compatible products

#### transfer module

Item no.: 704-8012

Interface module for system wiring; with solder pin; Male connector; 15-pole

[www.wago.com/704-8012](http://www.wago.com/704-8012)

### Downloads

### Documentation

### Additional Information

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Disposal; Electrical and electronic equipment, Packaging

V 1.0.0

pdf  
265.8 kB

[Download](#)

---

## CAD/CAE-Data

### CAE data

WSCAD Universe 706-2300/500-300

[URL](#)

[Download](#)

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.