



Data

Electrical data

Ratings per IEC/EN 60664-1

Legend (ratings)

(III / 2) $\hat{=}$ Overvoltage category III / Pollution degree 2

Approvals per UL 1059

Approvals per

UL 1059

Connection data

Number of connection types

1

Subject to changes. Please also observe the further product documentation!

Geometrical Data

Width	35 mm / 1.378 inch
-------	--------------------

Mechanical data

Suitable	for 1-conductor male and female connectors
----------	--

Material Data

Color	light gray
-------	------------

Fire load	0.033 MJ
-----------	----------

Weight	1.2 g
--------	-------

Commercial data

Product Group	3 (Multi Conn. System)
---------------	------------------------

Packaging type	BOX
----------------	-----


Country of origin	DE
-------------------	----

GTIN	4017332639217
------	---------------

Customs Tariff No.	85389099990
--------------------	-------------

Approvals / Certificates

Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	IEC 61984	96/20035 (E5)

Counterpart

Downloads

Documentation

Additional Information

Technical explanations	Apr 3, 2019	pdf 3.6 MB	Download
------------------------	-------------	---------------	----------

Subject to changes. Please also observe the further product documentation!

CAD/CAE-Data

CAD data


2D/3D Models 734-126

URL

Download

Installation Notes

Assembly



Strain relief plates for factory or in-the-field assembly.

Subject to changes. Please also observe the further product documentation!