



## Data

### Electrical data

### Ratings per IEC/EN 60664-1

Legend (ratings)

(III / 2) ≙ Overvoltage category III / Pollution degree 2

### Approvals per UL 1059

Approvals per

UL 1059

### Connection data

Number of connection types

1

### Geometrical Data

Width

55 mm / 2.165 inch

Subject to changes. Please also observe the further product documentation!

## Mechanical data

Suitable	for 1-conductor male and female connectors
----------	--

## Material Data


Color	gray
Fire load	0.08 MJ
Weight	2.6 g

## Commercial data

Product Group	3 (Multi Conn. System)
Packaging type	BOX
Country of origin	DE
GTIN	4045454309534
Customs Tariff No.	85389099990

## Approvals / Certificates

### Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	IEC 61984	96/20035 (E5)

## Counterpart

### Downloads

#### Documentation


##### Additional Information

Technical explanations	Apr 3, 2019	pdf 3.6 MB	Download
------------------------	-------------	---------------	----------

## Installation Notes

### Assembly

Subject to changes. Please also observe the further product documentation!



Strain relief plates for factory or in-the-field assembly.

Subject to changes. Please also observe the further product documentation!