

Data sheet | Item number: 756-9412/060-000


Accessories; 5-pole; M12 socket, straight

www.wago.com/756-9412/060-000



RoHS 
Compliant


[BOMcheck.net](https://www.bomcheck.net)



Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Anschließbare Leitung
 $\varnothing 6 \dots 8 \text{ mm} / 0,14 - 0,75 \text{ mm}^2$

Data

Technical Data

Connection type	M12 socket
No. of poles	5
Anschlusspunkt geschirmt	yes
Leitungsanschlussrichtung zur Steckrichtung	0°
Steckgesichtskodierung Leitung/Adapter 1 1	B coded

Connection data

Connection type (1)	Schraubtechnik
---------------------	----------------

Mechanical data

Connectable sheathed cable diameter	6 ... 8 mm
Weight	46 g

Environmental Requirements

Surrounding air (operating) temperature	-40 ... 85 °C
Protection class	IP67

Subject to changes. Please also observe the further product documentation!



Commercial data

Product Group	23 (I/O passive and accessories)
Packaging type	BOX
Country of origin	DE
GTIN	4055143121590
Customs Tariff No.	85369010000

Counterpart

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.