

**Data sheet | Item number: 762-3003**

Web Panel; 25.7 cm (10.1"); 1280 x 800 pixels; 2 x USB, 2 x ETHERNET


[www.wago.com/762-3003](http://www.wago.com/762-3003)



Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



### Item description

Specifically configured as a Web browser, the Web Panel directly connects to controllers with their own Webservers.

The *e!COCKPIT* (CODESYS 3) or CODESYS 2.3 Web visualization has been specifically optimized for the Web Panel.

### Data

#### Technical Data

Display diagonal	25,7 cm (10.1 Inches)
Display	Resistive touchscreen
Display colors	16 million colors
Graphics resolution	(1280 x 800) px
Contrast ratio	800:1
Viewing angle, horizontal/vertical	85° / 85°
Brightness	800
HBT Half Brightness Time	70,000 h
Visualization	Web Visu
Ethernet protocol	DHCP DNS FTP FTPS HTTP HTTPS SSH

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



Communication	Web browser (CODESYS2)
Operating system	Linux <sup>®</sup>
Processor	ARM <sup>®</sup> Cortex™ A8 600 MHz
Main memory (RAM)	512 MB
Internal memory (flash)	1024 MB
Type of memory card	microSD (max. 2 GB); microSDHC (max. 32 GB)
Baud rate	ETHERNET: 10/100 Mbit/s
Indicators	Three-color LED (red, green, blue)
Panel	Resistive touch panel, two capacitive keys, proximity sensor
Supply voltage	SELV DC 24 V (18 ... 31,2 V); with reverse voltage protection
Max. input current (24 V)	390 mA
Operating power	9.9 W (max.)

### Connection data

Connection technology: communication/fieldbus	Modbus TCP: 2 x RJ-45; USB: 2 x USB 2.0 host (type A)
---	---

### Geometrical Data

Width	293 mm / 11.535 inch
Height	223 mm / 8.78 inch
Depth	58 mm / 2.283 inch
Panel cutout (W x H)	(278 x 208) mm

### Mechanical data

Weight	2138 g
Front panel	Anodized aluminum, polyester film
Housing material	Anodized aluminum
Conformity marking	CE

### Environmental Requirements

Surrounding air (operating) temperature	0 ... 50 °C
Surrounding air (storage) temperature	-20 ... 80 °C
Protection class	IP65
Note on protection class	IP65 (front side); IP20 (rear side), per EN 60529
Relative air humidity (no condensation)	90 %
Mounting type	Clamping elements (included) or VESA mount (4 x M4x8)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)


Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

## Commercial data



Packaging type	BOX
Country of origin	DE
GTIN	4055143356480
Customs Tariff No.	8471410000

## Approvals / Certificates


### Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	<b>KC</b> National Radio Research Agency	Article 58-2, Clause 3	MSIP- REM-W43- WBP762

### Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	<b>DNV GL</b> Det Norske Veritas, Germanischer Lloyd	-	TAA00001FS
	<b>PRS</b> Polski Rejestr Statków	-	TE/2190 /880590/18

### UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	<b>UL</b> Underwriters Laboratories Inc. (ORDINARY LOCATIONS)	UL 61010-2-201	E175199

## Counterpart



Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

## Compatible products

### memory card

	<b>Item no.:</b> 758-879/000-3102 Memory Card SD Micro; 2 GByte	<a href="http://www.wago.com/758-879/000-3102">www.wago.com/758-879/000-3102</a>
	<b>Item no.:</b> 758-879/000-3108 Memory Card SD Micro; pSLC-NAND; 8 GB; Temperature range: -40 to 90°C	<a href="http://www.wago.com/758-879/000-3108">www.wago.com/758-879/000-3108</a>

### assembling

	<b>Item no.:</b> 762-9001 e!DISPLAY7300T ; Clamping elements (4 pieces)	<a href="http://www.wago.com/762-9001">www.wago.com/762-9001</a>
--	--	--

## Downloads

### Documentation

#### Manual

e!DISPLAY 7300T, Web Panel WP 10.1 1280x800 PIO 1	V 1.1.0	pdf 2.2 MB	Download
--	---------	---------------	----------

#### Additional Information

Disposal; Electrical and electronic equipment, Packaging	V 1.0.0	pdf 265.8 kB	Download
--	---------	-----------------	----------

#### System Description

Operation and Monitoring – General Product Information		pdf 795.2 kB	Download
--	--	-----------------	----------

Overview on WAGO-I/O-SYSTEM 750 approvals		pdf 780.2 kB	Download
---	--	-----------------	----------

## Runtime Software

#### Firmware

Firmware: 762-3003 Web Panel; 25.7 cm (10.1"); 1280 x 800 pixels; 2 x USB, 2 x ETHERNET	04 Oct 31, 2019	zip 99.5 MB	Download
---	--------------------	----------------	----------

Subject to changes. Please also observe the further product documentation!



## CAD/CAE-Data

### CAD data

2D/3D Models 762-3003	<a href="#">URL</a>	<a href="#">Download</a>
-----------------------	---------------------	--------------------------

### CAE data

EPLAN Data Portal 762-3003	<a href="#">URL</a>	<a href="#">Download</a>
----------------------------	---------------------	--------------------------

WSCAD Universe 762-3003	<a href="#">URL</a>	<a href="#">Download</a>
-------------------------	---------------------	--------------------------

## Installation Notes

### Product family

**DISPLAY 7300T**

[Learn more about the product family.](#)

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.