

**Data sheet | Item number: 780-456**

Staggered jumper; insulated; from 1 to 6; Spacing: 5 mm; suitable for 2-conductor female plugs; gray

[www.wago.com/780-456](http://www.wago.com/780-456)



Subject to changes. Please also observe the further product documentation!

---

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Subject to changes. Please also observe the further product documentation!



## Data

### Electrical data

#### Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	400 V
Rated impulse voltage (III / 3)	6 kV
Rated current	24 A

### Connection data

Width of staggered jumper	1 to 6
---------------------------	--------

### Geometrical Data

Width	24.5 mm / 0.965 inch
Depth	6 mm / 0.236 inch

### Material Data

Color	gray
Fire load	0.017 MJ
Weight	2.3 g

### Commercial data

Product Group	17 (TOP JOB installation terminal blocks)
Packaging type	BOX
Country of origin	DE
GTIN	4044918271028
Customs Tariff No.	85366990990

### Counterpart

Subject to changes. Please also observe the further product documentation!

## Downloads

### Documentation

#### Additional Information

Technical explanations	Apr 3, 2019	pdf 2.1 MB	Download
------------------------	-------------	---------------	----------

## CAD/CAE-Data

### CAD data


2D/3D Models 780-456	URL	Download
----------------------	-----	----------

### CAE data

WSCAD Universe 780-456	URL	Download
------------------------	-----	----------

## Installation Notes

### Jumpered



Staggered jumpers for sophisticated circuit requirements – push jumpers down until fully inserted.



Staggered jumpers for sophisticated circuit requirements – push jumpers down until fully inserted.

Subject to changes. Please also observe the further product documentation!