

## Data sheet | Item number: 790-114

Carrier with grounding foot; parallel to carrier rail; 45 mm long; Cu 10 mm x 3 mm; suitable for 790 Series shield clamping saddles and 791 Series shield clamps



[www.wago.com/790-114](http://www.wago.com/790-114)



Item No.	Dimensions in mm					
	A	B	C	D	E	F
<b>790-108</b>	51	15	8	16	55	42
<b>790-116</b>	53	15	16	16	57	45
<b>790-124</b>	78	15	24	16	83	58
<b>790-140</b>	97	15	40	16	100	73

### Data

#### Technical Data

Main product function

Shield termination

#### Material Data

Weight

25.5 g

#### Commercial data

Product Group

2 (Terminal Block Accessories)

Packaging type

BOX

Country of origin

DE

GTIN

4045454352912

Customs Tariff No.

85369095990

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)






Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

## Counterpart

## Compatible products

### shield connection

	<b>Item no.: 790-108</b> Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm	<a href="http://www.wago.com/790-108">www.wago.com/790-108</a>
	<b>Item no.: 790-116</b> Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm	<a href="http://www.wago.com/790-116">www.wago.com/790-116</a>
	<b>Item no.: 790-124</b> Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm	<a href="http://www.wago.com/790-124">www.wago.com/790-124</a>
	<b>Item no.: 790-140</b> Shield clamping saddle; diameter of compatible conductor	<a href="http://www.wago.com/790-140">www.wago.com/790-140</a>
	<b>Item no.: 791-107</b> Shield clamp; diameter of compatible conductor; 1.5 mm to 6.5 mm; H max. 40 mm; 10 mm wide	<a href="http://www.wago.com/791-107">www.wago.com/791-107</a>
	<b>Item no.: 791-111</b> Shield clamp; diameter of compatible conductor; 5 mm to 11 mm; H max. 47 mm; 17 mm wide	<a href="http://www.wago.com/791-111">www.wago.com/791-111</a>
	<b>Item no.: 791-117</b> Shield clamp; diameter of compatible conductor; 10 mm to 17 mm; H max. 63 mm; 23 mm wide	<a href="http://www.wago.com/791-117">www.wago.com/791-117</a>
	<b>Item no.: 791-124</b> Shield clamp; diameter of compatible conductor; 16 mm to 24 mm; H max. 78 mm; 30 mm wide	<a href="http://www.wago.com/791-124">www.wago.com/791-124</a>

## Downloads

### CAD/CAE-Data

#### CAD data


2D/3D Models 790-114	<a href="#">URL</a>	<a href="#">Download</a>
----------------------	---------------------	--------------------------

#### CAE data

WSCAD Universe 790-114	<a href="#">URL</a>	<a href="#">Download</a>
------------------------	---------------------	--------------------------

## Installation Notes

Subject to changes. Please also observe the further product documentation!



Carrier with grounding foot\* (790-114),  
45 mm long, busbar parallel to the rail

\* for all sizes of shield clamping saddles

Subject to changes. Please also observe the further product documentation!