Data sheet | Item number: 821-154

Rail-mount terminal block set; L-BOXX® 102; 20xx, 21xx, 22xx Series

www.wago.com/821-154







Item description

Content

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.



Quantity Item number		Description
	TOPJOB® S Rail-Mount Terminal Blocks	
10	2002-1301	3-conductor through terminal block; with Push-in CAGE CLAMP®; 0.25 2.5 (4) mm²; gray
8	2004-1201	2-conductor through terminal block; with Push-in CAGE CLAMP®; 0.5 4 (6) mm²; gray
20	2102-1201	2-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 0.25 2.5 (4) mm²; gray
6	2102-5301	3-conductor through terminal block; with lever and push-button; 0.25 2.5 (4) mm²; gray
2	2102-5304	3-conductor through terminal block; with lever and push-button; 0.25 2.5 (4) mm²; blue
2	2102-5307	3-conductor ground terminal block; with lever and push-button; 0.25 2.5 (4) mm²; green-yellow
6	2106-5301	3-conductor through terminal block; with lever and push-button; 0.5 6 (10) mm²; gray
2	2106-5304	3-conductor through terminal block; with lever and push-button; 0.5 6 (10) mm²; blue
2	2106-5307	3-conductor ground terminal block; with lever and push-button; 0.5 6 (10) mm²; green-yellow
6	2116-5301	3-conductor through terminal block; with lever and push-button; 0.5 16 (25) mm²; gray
2	2116-5304	3-conductor through terminal block; with lever and push-button; 0.5 16 (25) mm²; blue
2	2116-5307	3-conductor ground terminal block; with lever and push-button; 0.5 16 (25) mm²; green-yellow
25	2200-1401	4-conductor through terminal block; with push-button; 0.14 1 (1.5) mm²; gray
10	2202-1301	3-conductor through terminal block; with push-button; 0.25 2.5 (4) mm²; gray
8	2204-1201	2-conductor through terminal block; with push-button; 0.5 4 (6) mm²; gray
6	2210-1201	2-conductor through terminal block; with push-button; 0.5 10 (16) mm²; gray

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 821-154

www.wago.com/821-154



2	2210-1204	2-conductor through terminal block; with push-button; 0.5 10 (16) mm²; blue
2	2210-1207	2-conductor ground terminal block; with push-button; 0.5 10 (16) mm ² ; green-yellow
	Accessories	
10	249-116	Screwless end stop; for DIN-35 rail; 6 mm wide; gray
25	2000-402	Push-in type jumper bar; insulated; 2-way; Nominal current: 14 A; light gray
10	2000-1491	End and intermediate plate; for 4-conductor terminal blocks; gray
25	2002-400	Adjacent jumper for continuous commoning; insulated; 2-way; Nominal current: 25 A; light gray
25	2002-402	Push-in type jumper bar; insulated; 2-way; Nominal current: 25 A; light gray
10	2002-1391	End and intermediate plate; for 3-conductor terminal blocks; gray
10	2004-402	Push-in type jumper bar; insulated; 2-way; Nominal current: 32 A; light gray
10	2004-1291	End and intermediate plate; for 2-conductor terminal blocks; gray
10	2006-402	Push-in type jumper bar; insulated; 2-way; Nominal current: 41 A; light gray
5	2010-402	Push-in type jumper bar; insulated; 2-way; Nominal current: 57 A; light gray
5	2010-1291	End and intermediate plate; for 2-conductor terminal blocks; gray
10	2016-402	Push-in type jumper bar; insulated; 2-way; Nominal current: 76 A; light gray
10	2102-1291	End and intermediate plate; for 2-conductor terminal blocks; gray
5	2102-1391	End and intermediate plate; for 3-conductor terminal blocks; gray
5	2106-1391	End and intermediate plate; for 3-conductor terminal blocks; gray
5	2116-1391	End and intermediate plate; for 3-conductor terminal blocks; gray

Data

Geometrical Data

Width	445 mm / 17.52 inch
Height	118 mm / 4.646 inch
Depth	358 mm / 14.094 inch

Material Data

Weight	5160 g	
WEIGH	51000	

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4055143890960
Customs Tariff No.	85369010000

Counterpart

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 821-154

www.wago.com/821-154



Downloads Documentation

Additional Information

Technical explanations Apr 3, 2019 pdf Download

2.1 MB

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of railmount terminal blocks provides more than just reliable electrical connections.

Learn more about the product family.

Show all products from the family

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.