



Data sheet | Item number: 850-815/002-000

IP65 enclosure; Sheet steel (RAL 7035); WxHxD (300x120x200 mm); without flange plate



www.wago.com/850-815/002-000



Item description

Included:

- Powder-coated, sheet steel enclosure
- Box with narrow beveled edge, sturdy gutter profile
- With hinged cover 180° (PA), with foam PU seal, 2 to 3 quick disconnects
- Quick-release fasteners in plastic bushes
- Mounting holes (incl. sealing plugs)
- Large Macrolon inspection glass
- Removable, yellow-chromized interior profiles
- Galvanized DIN-35/7.5 rail (contact with enclosure), adjustable in 12.5 mm spacing
- Grounding lug for cover and flanges with quick-release ribbon cable connectors
- Light gray (RAL 7035)

Accessories:

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Fitted and unfitted flange plates, wall mounting

The "number of I/O modules" also takes fieldbus couplers and bus end modules into account.

This applies to 12 mm wide I/O modules. I/O modules with a width of 24 mm count as two I/O modules.

Data

Technical Data

No. of I/O modules	16
Accessories Flange plates (available separately)	1 x F300 or F300-1 or F300-2 or F304

Geometrical Data

Width	300 mm / 11.811 inch
Height	120 mm / 4.724 inch
Depth	200 mm / 7.874 inch
Panel cutout (W x H)	(260 x 160) mm

Material Data

Weight	2800 g
--------	--------

Environmental Requirements

Protection class	IP65
------------------	------

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4055143243094
Customs Tariff No.	85381000900

Counterpart

Compatible products

General accessories

Item no.: 850-819/002-000
Flange plate; F300 flange plate; WxH (295x95 mm); blind

www.wago.com/850-819/002-000

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Item no.: 850-819/002-001

Flange plate; F300-1 flange plate; WxH (295x95 mm); 4 x M20, 6 x M16, 22 x M12 drilled holes

www.wago.com/850-819/002-001



Item no.: 850-819/002-002

Flange plate; F300-1 flange plate; WxH (295x95 mm); 4 x M20, 6 x M16, 22 x M12 cable grip

www.wago.com/850-819/002-002



Item no.: 850-819/002-003

Flange plate; F300-2 flange plate; WxH (295x95 mm); 50 x M12 drilled holes

www.wago.com/850-819/002-003

Item no.: 850-819/002-004

Flange plate; F300-2 flange plate; WxH (295x95 mm); 50 x M12 cable grip

www.wago.com/850-819/002-004

Item no.: 850-819/002-005

Flange plate

www.wago.com/850-819/002-005

Item no.: 850-820/000-001

Cable entry plate; Cable entry plate 22; for flange plate F204 + F304; 16 x Ø 3.0 ... 6.5 mm, 4 x Ø 5.0 ... 9.2 mm, 2 x Ø 8.0 ... 12.5 mm

www.wago.com/850-820/000-001



Item no.: 850-820/000-002

Cable entry plate; Cable entry plate 29; for flange plate F204 + F304; 29 x Ø 3.0 ... 6.5 mm

www.wago.com/850-820/000-002



Item no.: 850-904

Wall Mounting; Set with 4 brackets

www.wago.com/850-904

Downloads

Documentation

System Description

IP65 System Housing

pdf Download
490.1 kB

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.