

**CableLine  
CLI C 02-3 GE/SW P MP**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



Similar to illustration

CLI C conductor markers are mounted on unconnected conductors. Four different sizes are available for labelling conductor cross-sections from 0.5 mm<sup>2</sup> to max. 70 mm<sup>2</sup>. The markers are already printed and ready for use. Individual labelling is possible by combining the individual markers.

- Closed markers, reliable and for mounting on unconnected cables
- A special flexible bellow profile ensures a wide application range
- Fast and easy to fit – with minimal effort
- Corresponding accessories make labelling easy
- Permanent, high-quality labelling
- High contrast for optimum legibility

**General ordering data**

Type	CLI C 02-3 GE/SW P MP
Order No.	<a href="#">0252111667</a>
Version	CableLine, Conductor and cable markers, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008 190077952
Qty.	200 pc(s).

**CableLine**  
**CLI C 02-3 GE/SW P MP**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

Width	3.4 mm	Width (inches)	0.134 inch
Height	3 mm	Height (inches)	0.118 inch
Depth	3.5 mm	Depth (inches)	0.138 inch
Net weight	0.04 g		

**General data**

Colour	yellow	Colour of printing	black
Halogen	Yes	Material	PVC, soft, without Cadmium
Material colour according to resistance code	4	Operating temperature range	-30...80 °C
Orientation of print	horizontal	Printed characters	Upper-case letters
Printing	P	Printing method	hot-embossing
Recommended industries	Process, Machinery	Type of printing	Standard
UL 94 flammability rating	V-0	Version	MultiPack
Width	3.4 mm		

**Conductor and cable markers**

Conductor O.D.	1.3 - 3 mm	Conductor O.D., max.	3 mm
Conductor O.D., min.	1.3 mm	Conductor cross-section, max.	1.5 mm <sup>2</sup>
Conductor cross-section, min.	0.2 mm <sup>2</sup>	Halogen	Yes

**Classifications**

ETIM 6.0	EC001530	ETIM 7.0	EC001530
eClass 9.0	27-40-04-01	eClass 9.1	27-40-04-01
eClass 10.0	27-40-04-01	UNSPSC	44-12-17-08

**Approvals**

ROHS	Conform
------	---------

**Downloads**

Engineering Data	<a href="#">EPLAN, WSCAD</a>
Product Change Notification	<a href="#">PCN CableLine_DE</a> <a href="#">PCN CableLine_EN</a>

**Data sheet**

**CableLine**  
**CLI C 02-3 GE/SW P MP**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**



Similar to illustration

## CableLine CLI C 02-3 GE/SW P MP

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Accessories

### 0 - 9



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

### General ordering data

Type	CLI R 02-3 GE/SW 1	Version
Order No.	<a href="#">0560001504</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190046590	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW 8	Version
Order No.	<a href="#">0560001525</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190154875	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW 2	Version
Order No.	<a href="#">0560001507</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190083137	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW 9	Version
Order No.	<a href="#">0560001528</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190141516	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW 5	Version
Order No.	<a href="#">0560001516</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190188436	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW 7	Version
Order No.	<a href="#">0560001522</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190185213	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW 3	Version
Order No.	<a href="#">0560001510</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190046941	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW 0	Version
Order No.	<a href="#">0560001501</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190063498	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW 6	Version
Order No.	<a href="#">0560001519</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190019129	
Qty.	10 pc(s).	

## CableLine CLI C 02-3 GE/SW P MP

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

# Accessories

## Mandrels single



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

### General ordering data

Type	CLI R 02 F. CLI C 02-3	Version
Order No.	<a href="#">0559900000</a>	CableLine, Mounting mandrel, 150 x 2 mm, red
GTIN (EAN)	4008190081645	
Qty.	20 pc(s).	

## Others



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

### General ordering data

Type	CLI R 02-3 RT/WS +	Version
Order No.	<a href="#">0560001739</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, red
GTIN (EAN)	4008190990145	
Qty.	10 pc(s).	
Type	CLI R 02-3 BL/WS -	Version
Order No.	<a href="#">0560001741</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, blue
GTIN (EAN)	4008190990107	
Qty.	10 pc(s).	

## CableLine CLI C 02-3 GE/SW P MP

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Accessories

### A - Z



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

### General ordering data

Type	CLI R 02-3 GE/SW S	Version
Order No.	<a href="#">0560001675</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990008	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW C	Version
Order No.	<a href="#">0560001642</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989842	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW K	Version
Order No.	<a href="#">0560001658</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989927	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW R	Version
Order No.	<a href="#">0560001672</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989996	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW L	Version
Order No.	<a href="#">0560001660</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989934	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW E	Version
Order No.	<a href="#">0560001646</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989866	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW P	Version
Order No.	<a href="#">0560001668</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989972	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW Z	Version
Order No.	<a href="#">0560001699</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990077	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW V	Version
Order No.	<a href="#">0560001682</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990039	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW A	Version
Order No.	<a href="#">0560001638</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989828	
Qty.	10 pc(s).	

## CableLine CLI C 02-3 GE/SW P MP

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Accessories

Type	CLI R 02-3 GE/SW T	Version
Order No.	<a href="#">0560001678</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990015	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW F	Version
Order No.	<a href="#">0560001648</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989873	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW H	Version
Order No.	<a href="#">0560001652</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989897	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW U	Version
Order No.	<a href="#">0560001680</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990022	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW M	Version
Order No.	<a href="#">0560001662</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989941	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW Q	Version
Order No.	<a href="#">0560001670</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989989	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW G	Version
Order No.	<a href="#">0560001650</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989880	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW O	Version
Order No.	<a href="#">0560001666</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989965	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW Y	Version
Order No.	<a href="#">0560001697</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990060	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW W	Version
Order No.	<a href="#">0560001684</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990046	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW D	Version
Order No.	<a href="#">0560001644</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989859	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW B	Version
Order No.	<a href="#">0560001640</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989835	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW J	Version
Order No.	<a href="#">0560001656</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989910	
Qty.	10 pc(s).	

Creation date April 30, 2020 8:24:05 PM CEST


## CableLine CLI C 02-3 GE/SW P MP

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Accessories

Type	CLI R 02-3 GE/SW N	Version
Order No.	<a href="#">0560001664</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989958	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW I	Version
Order No.	<a href="#">0560001654</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190989903	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW X	Version
Order No.	<a href="#">0560001693</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990053	
Qty.	10 pc(s).	

## International colour code



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

## General ordering data

Type	CLI R 02-3 GE/SW 4	Version
Order No.	<a href="#">0560001513</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190186081	
Qty.	10 pc(s).	

## Special characters



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

## General ordering data

Type	CLI R 02-3 GE/SW -	Version
Order No.	<a href="#">0560001740</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990091	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW /	Version
Order No.	<a href="#">0560001743</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990114	
Qty.	10 pc(s).	

Creation date April 30, 2020 8:24:05 PM CEST



## Data sheet

### CableLine CLI C 02-3 GE/SW P MP

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Accessories

Type	CLI R 02-3 GE/SW .	Version
Order No.	<a href="#">0560001749</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990138	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW ET	Version
Order No.	<a href="#">0560001745</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990121	
Qty.	10 pc(s).	
Type	CLI R 02-3 GE/SW +	Version
Order No.	<a href="#">0560001738</a>	CableLine, Mounting mandrel, 1.3 - 3 mm, 3 x 3.4 mm, yellow
GTIN (EAN)	4008190990084	
Qty.	10 pc(s).	