

Accessories
TS 32X15 2M/CRN

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Product image**General ordering data**

Type	TS 32X15 2M/CRN
Order No.	0293220000
Version	Rail, TS 32, without slot, Stainless steel, rust-proof, untreated
GTIN (EAN)	4032248014026
Qty.	2 m

Creation date April 30, 2020 10:10:46 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

Data sheet

Accessories TS 32X15 2M/CRN

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	32 mm	Width (inches)	1.26 inch
Height	33 mm	Height (inches)	1.299 inch
Depth	15 mm	Depth (inches)	0.591 inch
Net weight	701 g		

Mounting rail

Short circuit strength corresponds to E-Cu wire	35 mm ²	Thickness	1.5 mm
---	--------------------	-----------	--------

Classifications

ETIM 6.0	EC001285	ETIM 7.0	EC001285
eClass 9.0	27-40-06-02	eClass 9.1	27-40-06-02
eClass 10.0	27-40-06-02	UNSPSC	30-21-18-01

Approvals

ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	CAT 1 TERM 16/17 EN
Engineering Data	EPLAN, WSCAD, Zuken E3.S
Engineering Data	STEP
User Documentation	StorageConditionsTerminalBlocks

Accessories
TS 32X15 2M/CRN

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Accessories**Screwing****Klippon® Connect with clamping yoke Technology**

The high reliability and variety of designs of the terminal blocks with clamping yoke connections make planning easier and optimises operational safety. Klippon® Connect provides a proven response to a range of different requirements.

General ordering data

Type	FKSC M5X8 D9/SW2.5	Version
Order No.	0295900000	SAK Series, Allen hex screw, Screws, Number of poles: 1
GTIN (EAN)	4008190133337	
Qty.	50 pc(s).	