

**KSWF (flat gasket - vulcanised fibre)  
KSWF M25**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



The KSWF is a flat seal made from fibre material suitable for optional large-surface sealing of cable glands on enclosures or electrical cabinets.

**General ordering data**

Type	KSWF M25
Order No.	<a href="#">0899770000</a>
Version	KSWF (flat gasket - vulcanised fibre), Sealing ring, M 25, Vulcanized fibre
GTIN (EAN)	4032248850167
Qty.	25 pc(s).

Creation date May 1, 2020 2:26:43 AM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

## Data sheet

### KSWF (flat gasket - vulcanised fibre) KSWF M25

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Net weight	1.1 g
------------	-------

### General information

Material	Vulcanized fibre	External thread	M 25
Pitch of thread	1.5 mm	Operating temperature range, min.	-40 °C
Operating temperature range, max.	95 °C	Thickness	1.5 mm
Inside diameter D2	25.7 mm	Diameter of sealing ring	38.1 mm

### Classifications

ETIM 6.0	EC001181	ETIM 7.0	EC001181
eClass 9.0	27-43-03-19	eClass 9.1	27-14-44-90
eClass 10.0	27-43-03-19		

### Approvals

ROHS	Conform
------	---------

### Downloads

Brochure/Catalogue	<a href="#">CAT 3 HDC 17/18 EN</a> <a href="#">CAT 5 ENCL 17/18 EN</a>
Engineering Data	<a href="#">EPLAN, WSCAD</a>

**Data sheet**

**KSWF (flat gasket - vulcanised fibre)  
KSWF M25**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

