

**SKMU MS (brass locknut)
SKMU M16 MS SC**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



Weidmüller has a variety of different cable and wire entry systems in the Portfolio: with different designs of plastic, brass and stainless steel cable glands in the IP66, 67, 68 or IP69k protection classes. As a complete alternative to cable glands, pre-assembled cables with modular multi-wire or multi-cable entry systems can be simply and quickly inserted into electrical equipment. Last but not least, Weidmüller offers EX-certified cable glands and cable/wire entry systems.

- Cable glands made from plastic and brass
- EMC screwed joints
- for areas at risk of explosion
- VDE, CSA and UL approvals

General ordering data

| | |
|------------|---|
| Type | SKMU M16 MS SC |
| Order No. | 0930640001 |
| Version | SKMU MS (brass locknut), Locknut, M 16, 4 mm, Brass |
| GTIN (EAN) | 4032248976065 |
| Qty. | 50 pc(s). |

Data sheet

SKMU MS (brass locknut) SKMU M16 MS SC

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Net weight 7.227 g

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

General information

| | | | |
|-----------------|--------|------------------|------|
| Material | Brass | External thread | M 16 |
| Pitch of thread | 1.5 mm | Length of thread | 4 mm |
| AF size 1 | 22 mm | Thickness | 4 mm |

Classifications

| | | | |
|-------------|-------------|------------|-------------|
| ETIM 6.0 | EC000940 | ETIM 7.0 | EC000940 |
| eClass 9.0 | 27-14-44-24 | eClass 9.1 | 27-14-44-24 |
| eClass 10.0 | 27-14-44-24 | | |

Approvals

ROHS Conform

Downloads

| | |
|--------------------|-------------------------------------|
| Brochure/Catalogue | CAT 5 ENCL 17/18 EN |
| Engineering Data | EPLAN, WSCAD |
| Engineering Data | STEP |

Data sheet

SKMU MS (brass locknut)
SKMU M16 MS SC

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

