

**KSP (Klippon shroud)
KSP L90 S**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



The KSPs are protective caps made from PVC. They protect disconnected cable glands from external environmental influences (e.g., dust) when delivered in a pre-assembled enclosure.

General ordering data

Type	KSP L90 S
Order No.	0930700008
Version	KSP (Klippon shroud), Protective cap, Silicone
GTIN (EAN)	4032248976034
Qty.	10 pc(s).

Data sheet

KSP (Klippon shroud) KSP L90 S

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Length	165 mm	Length (inches)	6.496 inch
Net weight	113.7 g		

General information

Material	Silicone	Operating temperature range, min.	-60 °C
Operating temperature range, max.	200 °C	Thickness	2 mm
Gap, internal dimension B	95 mm	Inside diameter D2	90 mm
Hardness (IRHD)	60		

Classifications

ETIM 6.0	EC000441	ETIM 7.0	EC000441
eClass 9.0	27-14-44-32	eClass 9.1	27-14-44-90
eClass 10.0	27-14-44-32		

Approvals

ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN, WSCAD
Engineering Data	STEP

Data sheet

**KSP (Klippon shroud)
KSP L90 S**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

