

**EA (earthing rings)
EA-RING MS/M25 SC****Weidmüller Interface GmbH & Co. KG**
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

The range of cable glands is rounded off by a large number of accessories.

Earthing rings are best used when a cable shielding is being tightened onto the cable gland, and when it has the same potential as another cable gland on the housing.

General ordering data

Type	EA-RING MS/M25 SC
Order No.	0930710003
Version	EA (earthing rings), Earthing ring, M 25, Brass
GTIN (EAN)	4032248976188
Qty.	20 pc(s).

Data sheet

EA (earthing rings) EA-RING MS/M25 SC

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Length	60.2 mm	Length (inches)	2.37 inch
Net weight	6.95 g		

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

General information

Material	Brass	External thread	M 25
Thickness	1.5 mm	Gap, internal dimension B	36.5 mm
Width, outer dimension C	12.8 mm	Inside diameter D2	6.9 mm

Classifications

ETIM 6.0	EC002317	ETIM 7.0	EC002317
eClass 9.0	27-14-44-32	eClass 9.1	27-14-44-90
eClass 10.0	27-14-44-32		

Approvals

ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN, WSCAD

Data sheet

**EA (earthing rings)
EA-RING MS/M25 SC**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

