

# Accessories VG 21 HQ MS68 14-18

#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com









With blueglobe®, Weidmüller has introduced a cable gland from Pflitsch into its portfolio that convinces both in terms of reliability and functionality.

A large sealing range from 1.5 to 77 mm thanks to removable inlets with just 11 cable glands, highly effective sealing, excellent strain relief and a grooveguided upstream O-ring – these are the features of the blueglobe® cable glands which Weidmüller offers in brass and stainless steel.

The heart of the blueglobe® cable gland is the spherical seal insert that squeezes the cable gently and over a large area. This permanently avoids the incisive notch effect that is common with lamella systems.

# **General ordering data**

Туре	VG 21 HQ MS68 14-18
Order No.	<u>1016110000</u>
Version	Heavy-duty connectors, Accessories, Cable glands,
	Brass, nickel-plated
GTIN (EAN)	4032248725588
Qty.	1 pc(s).



# Accessories VG 21 HQ MS68 14-18

#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

# **Technical data**

Dim	ansions	and	weights
	CHOIDHS	anu	weigiita

Net weight	36 g

# **Temperatures**

Limit tempera	ature	-40	°C	130	°C

# **Environmental Product Compliance**

REACH SVHC	Lead 7439-92-1

#### **General data**

AF size	30 mm	Cable diameter, max.	18 mm
Cable diameter, min.	14 mm	Cable glands	PG 21
Internal thread	PG 21	Material	Brass, nickel-plated
Protection degree	IP68	Sealing material	TPE
Size	HQ	Tightening torque, max.	15 Nm

# Classifications

ETIM 6.0	EC000441	ETIM 7.0	EC000441
eClass 9.0	27-14-44-32	eClass 9.1	27-14-44-32
eClass 10.0	27-14-44-32	UNSPSC	30-21-18-01

# **Approvals**

Approvals



ROHS	Conform

# **Downloads**

Brochure/Catalogue	CAT 3 HDC 17/18 EN CAT 5 ENCL 17/18 EN FL FIELDWIRING EN
Engineering Data	EPLAN, WSCAD
Engineering Data	STEP



# Accessories VG 21 HQ MS68 14-18

Accessories

#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

# Plug housing, cable entry sideways



The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection. The HQ version now offers particular protection - the bulkhead housing (cover and metal clamp) can be secured with a padlock.

### **General ordering data**

Туре	HDC HQM TSLU 1PG21	Version
Order No.	1003100000	HDC enclosures, Size: HQ, Protection degree: IP65, Cable entry from
GTIN (EAN)	4032248698035	side, Plug housing, Side-locking clamp on lower side, Standard, Size of
Qty.	1 pc(s).	cable entries: PG 21



# **Accessories**

# VG 21 HQ MS68 14-18

#### Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

# Accessories

# Plug housing, cable entry at top



The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection. The HQ version now offers particular protection - the bulkhead housing (cover and metal clamp) can be secured with a padlock.

### **General ordering data**

Туре	HDC HQM TOLU 1PG21	Version
Order No.	1003080000	HDC enclosures, Size: HQ, Protection degree: IP65, Cable entry from
GTIN (EAN)	4032248698011	top, Plug housing, Side-locking clamp on lower side, Standard, Size of
Qty.	1 pc(s).	cable entries: PG 21