

**SAI-T-5-M12/M12 B-COD****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



Individual cable lengths are often required nowadays. In order to meet these demands, Weidmüller offers a wide range of plug-in connectors for custom assembly. Y-distributors are used to bundle and distribute multiple signals to save space.

**General ordering data**

Type	SAI-T-5-M12/M12 B-COD
Order No.	<a href="#">1057940000</a>
Version	Y connector, M12
GTIN (EAN)	4032248798001
Qty.	1 pc(s).

Creation date May 1, 2020 12:33:46 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

**SAI-T-5-M12/M12 B-COD****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

**Technical data****Dimensions and weights**

Net weight 39 g

**Environmental Product Compliance**

REACH SVHC Lead 7439-92-1

**Connection data**

Group outlet - plug-in connector	M12 pin	Single outlet 1 - plug-in connector	M12 pin
Single outlet 2 - plug-in connector	M12 socket	Tightening torque	M12: 0.8 - 1.2 Nm

**General data**

Coding	B	Conductor O.D.	-
Connection thread	M12	Contact material	CuSn
Contact surface	Gold-plated	Number of poles	5
Pollution severity	3	Protection degree	IP67
Rated current	4 A	Rated voltage	60 V
Shield connection	Yes		

**Classifications**

ETIM 6.0	EC002925	ETIM 7.0	EC002925
eClass 9.0	27-44-01-06	eClass 9.1	27-44-01-06
eClass 10.0	27-44-01-06		

**Approvals**

Approvals



ROHS Conform

**Downloads**

Brochure/Catalogue [CAT 8 SAI 15/16 EN](#)  
[FL FIELDWIRING EN](#)

**Data sheet**

**SAI-T-5-M12/M12 B-COD**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Drawings**

**Wiring**

