

**W-Series
WSD 2.5/SCAN WTR2.5**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Product image**Klippon® Connect with clamping yoke Technology**

The high reliability and variety of designs of the terminal blocks with clamping yoke connections make planning easier and optimises operational safety. Klippon® Connect provides a proven response to a range of different requirements.

General ordering data

Type	WSD 2.5/SCAN WTR2.5
Order No.	1058760000
Version	W-Series, Component plug, Rated cross-section: Plug-in connection, dark beige
GTIN (EAN)	4008 190028398
Qty.	25 pc(s).

Creation date May 1, 2020 12:51:03 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

Data sheet

W-Series WSD 2.5/SCAN WTR2.5

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	5 mm	Width (inches)	0.197 inch
Height	38.4 mm	Height (inches)	1.512 inch
Depth	29.58 mm	Depth (inches)	1.165 inch
Net weight	3.68 g		

Temperatures

Storage temperature, max.	40 °C	Storage temperature, min.	10 °C
Storage temperature	10 °C...40 °C	Continuous operating temp., min.	-50 °C
Continuous operating temp., max.	120 °C		

Material data

Material	Wemid	Colour	dark beige
UL 94 flammability rating	V-0		

System specifications

Version	Diode module	End cover plate required	No
Number of levels	1	PE connection	No

Additional technical data

Explosion-tested version	No	Type of mounting	Plugged
--------------------------	----	------------------	---------

CSA rating data

Certificate No. (CSA)	154685-1152890
-----------------------	----------------

Conductors for clamping (rated connection)

Connection direction	top	Type of connection	Plug-in connection
----------------------	-----	--------------------	--------------------

UL rating data

Certificate No. (UR)	E60693
----------------------	--------

Classifications

ETIM 6.0	EC002018	ETIM 7.0	EC002018
eClass 9.0	27-14-11-49	eClass 9.1	27-14-11-49
eClass 10.0	27-14-11-49	UNSPSC	30-21-18-11

Approvals

Approvals



ROHS Conform

Data sheet**W-Series
WSD 2.5/SCAN WTR2.5**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data**Downloads**

Engineering Data	EPLAN, WSCAD
Engineering Data	STEP
User Documentation	StorageConditionsTerminalBlocks
