

**KSWN (flat gasket - nylon)
KSWN M32**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



The KSWN is a flat seal made from nylon suitable for optional large-surface sealing of cable glands on enclosures or electrical cabinets.

General ordering data

Type	KSWN M32
Order No.	1076650000
Version	KSWN (flat gasket - nylon), Sealing ring, M 32, Nylon 6
GTIN (EAN)	4032248838691
Qty.	25 pc(s).

Creation date May 1, 2020 4:57:13 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

Data sheet

KSWN (flat gasket - nylon) KSWN M32

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Net weight	1.56 g
------------	--------

General information

Material	Nylon 6	External thread	M 32
Pitch of thread	1.5 mm	Operating temperature range, min.	-40 °C
Operating temperature range, max.	135 °C	Thickness	2 mm
Inside diameter D2	32.5 mm	Diameter of sealing ring	42.5 mm

Classifications

ETIM 6.0	EC001181	ETIM 7.0	EC001181
eClass 9.0	27-43-03-19	eClass 9.1	27-14-44-90
eClass 10.0	27-43-03-19		

Approvals

ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	CAT 3 HDC 17/18 EN CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN, WSCAD
Engineering Data	STEP

Data sheet

KSWN (flat gasket - nylon)
KSWN M32

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

