

**KSP (Klippon shroud)
KSP EL65****Weidmüller Interface GmbH & Co. KG**
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

The KSPs are protective caps made from PVC. They protect disconnected cable glands from external environmental influences (e.g., dust) when delivered in a pre-assembled enclosure.

General ordering data

Type	KSP EL65
Order No.	1076770000
Version	KSP (Klippon shroud), Protective cap, PVC
GTIN (EAN)	4032248838585
Qty.	10 pc(s).

**KSP (Klippon shroud)
KSP EL65**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data**Dimensions and weights**

Length	265 mm	Length (inches)	10.433 inch
Wall thickness, max.	2 mm	Wall thickness, min.	2 mm
Net weight	125.6 g		

General information

Material	PVC	Operating temperature range, min.	-25 °C
Operating temperature range, max.	70 °C	Thickness	2 mm
Gap, internal dimension B	125 mm	Inside diameter D2	65 mm
Hardness (Shore A)	65		

Classifications

ETIM 6.0	EC000441	ETIM 7.0	EC000441
eClass 9.0	27-14-44-32	eClass 9.1	27-14-44-90
eClass 10.0	27-14-44-32		

Approvals

ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN, WSCAD
Engineering Data	STEP

Data sheet

**KSP (Klippon shroud)
KSP EL65**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

