

**ClipCard  
CC 15/45 MC NE GR**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



Similar to illustration

The CC 15/45 MC is optimally designed for the 45 mm wide auxiliary contactors and motor circuit breakers, and enables clear, large-format labelling in the cabinet. Can be mounted using the adhesive film already fitted or using a CC-rail 1000 tag rail.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

**General ordering data**

Type	CC 15/45 MC NE GR
Order No.	<a href="#">1111240000</a>
Version	ClipCard, Device markers, 15 x 45 mm, Rail, grey
GTIN (EAN)	4032248888771
Qty.	40 pc(s).
compatible printer	<a href="#">1324380000</a> <a href="#">2438520000</a> <a href="#">2438510000</a>

## Data sheet

### ClipCard CC 15/45 MC NE GR

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Width	45 mm	Width (inches)	1.772 inch
Height	15 mm	Height (inches)	0.591 inch
Depth	1.2 mm	Depth (inches)	0.047 inch
Net weight	2.725 g		

### General data

Application/manufacturer	Rail	Colour	grey
Halogen	No	Material	Polyamide 66
Material colour according to resistance code	8	Operating temperature range	-40...100 °C
Recommended industries	Machinery	UL 94 flammability rating	V-2
Width	45 mm		

### Classifications

ETIM 6.0	EC001288	ETIM 7.0	EC001288
eClass 9.0	27-40-06-29	eClass 9.1	27-40-06-29
eClass 10.0	27-40-06-29	UNSPSC	30-21-18-01

### Approvals

ROHS	Conform
------	---------

### Downloads

Engineering Data	<a href="#">EPLAN, WSCAD</a>
Engineering Data	<a href="#">STEP</a>
Software	<a href="#">M-Print PRO configuration file</a>

**Data sheet**

**ClipCard  
CC 15/45 MC NE GR**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Drawings**

**Example of use**



Similar to illustration

