

## ClipCard CC 15/45 K MC NE GR

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



Similar to illustration

The CC 15/45 MC is optimally designed for the 45 mm wide auxiliary contactors and motor circuit breakers, and enables clear, large-format labelling in the cabinet. Can be mounted using the adhesive film already fitted or using a CC-rail 1000 tag rail.

Please note that these markers are not intended for printing with the SpeedMarking laser.

### General ordering data

Type	CC 15/45 K MC NE GR
Order No.	<a href="#">1111270000</a>
Version	ClipCard, Device markers, 15 x 45 mm, grey
GTIN (EAN)	4032248888764
Qty.	40 pc(s).
compatible printer	<a href="#">1324380000</a> <a href="#">2438520000</a> <a href="#">2438510000</a>

Creation date May 1, 2020 8:40:08 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

## ClipCard CC 15/45 K MC NE GR

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Technical data

### Dimensions and weights

Width	45 mm	Width (inches)	1.772 inch
Height	15 mm	Height (inches)	0.591 inch
Depth	1.2 mm	Depth (inches)	0.047 inch
Net weight	2.875 g		

### General data

Adhesive	Double-sided adhesive tape	Colour	grey
Halogen	No	Material	Polyamide 66
Material colour according to resistance code	8	Operating temperature range	-40...60 °C
Recommended industries	Machinery	UL 94 flammability rating	V-2
Version	Self-adhesive	Width	45 mm

### Classifications

ETIM 6.0	EC001288	ETIM 7.0	EC001288
eClass 9.0	27-40-06-29	eClass 9.1	27-40-06-29
eClass 10.0	27-40-06-29	UNSPSC	30-21-18-01

### Approvals

ROHS	Conform
------	---------

### Downloads

Engineering Data	<a href="#">EPLAN, WSCAD</a>
Engineering Data	<a href="#">STEP</a>
Software	<a href="#">M-Print PRO configuration file</a>

**Data sheet**

**ClipCard  
CC 15/45 K MC NE GR**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

