

## ClipCard CC 85/54 MC NE WS

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



Similar to illustration



ClipCard device markers in MultiCard format are used for labelling electrical installations and switchgear systems, and offer an interesting alternative to engraving. Thanks to the proven MultiCard format, labelling is possible with PrintJet PRO, the MCP Plus plotter, MCP Basis and MC-Mobilo.

- Highly resistant printing quality when using the PrintJet as a substitute for engraving
- Universal fixing
- Carrier (screwable or with cable ties)
- Tag rail (self-adhesive or screw fixing)
- Or self-adhesive tags

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

### General ordering data

Type	CC 85/54 MC NE WS
Order No.	<a href="#">1138400000</a>
Version	ClipCard, Device markers, 54 x 85 mm, Holder Logimark-H, white
GTIN (EAN)	40322489 19703
Qty.	10 pc(s).
compatible printer	<a href="#">1324380000</a> <a href="#">2438520000</a> <a href="#">2438510000</a>

**ClipCard  
CC 85/54 MC NE WS**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

Width	85 mm	Width (inches)	3.346 inch
Height	54 mm	Height (inches)	2.126 inch
Depth	0.8 mm	Depth (inches)	0.031 inch
Net weight	4.26 g		

**General data**

Application/manufacturer	Holder Logimark-H	Colour	white
Halogen	No	Material	Polyamide 66
Material colour according to resistance code	9	Operating temperature range	-40...100 °C
Recommended industries	Machinery	UL 94 flammability rating	V-2
Width	85 mm		

**Classifications**

ETIM 6.0	EC001288	ETIM 7.0	EC001288
eClass 9.0	27-40-06-29	eClass 9.1	27-40-06-29
eClass 10.0	27-40-06-29	UNSPSC	30-21-18-01

**Approvals**

ROHS	Conform
------	---------

**Downloads**

Engineering Data	<a href="#">EPLAN, WSCAD</a>
Engineering Data	<a href="#">STEP</a>
Product Change Notification	<a href="#">Technical change to MultiCard material - DE</a> <a href="#">Technical change to MultiCard material - EN</a>
Software	<a href="#">M-Print PRO configuration file</a>

**Data sheet**

**ClipCard  
CC 85/54 MC NE WS**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**




## ClipCard CC 85/54 MC NE WS

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

# Accessories

## Accessories



ClipCard device markers in MultiCard format are used for labelling electrical installations and switchgear systems, and offer an interesting alternative to engraving. Thanks to the proven MultiCard format, labelling is possible with PrintJet PRO, the MCP Plus plotter, MCP Basis and MC-Mobilo.

- Highly resistant printing quality when using the PrintJet as a substitute for engraving
- Universal fixing
- Carrier (screwable or with cable ties)
- Tag rail (self-adhesive or screw fixing)
- Or self-adhesive tags

**For custom printing:** Please send us a file of our labelling software M-Print PRO or M-Print PRO Online (without installation) for your labelling specifications.

## General ordering data

Type	CC-H 85/54 SW	Version
Order No.	<a href="#">1631640001</a>	ClipCard, Accessories, 90 x 58 mm, black
GTIN (EAN)	4008190465254	
Qty.	20 pc(s).	
Type	CC-H 85/54 BG	Version
Order No.	<a href="#">1631640003</a>	ClipCard, Accessories, 90 x 58 mm, dark beige
GTIN (EAN)	4008190465292	
Qty.	20 pc(s).	
Type	CC-HO 85/54 SW	Version
Order No.	<a href="#">1603290000</a>	ClipCard, Accessories, 90 x 58 mm, black
GTIN (EAN)	4008190188306	
Qty.	20 pc(s).	
Type	CC-H 85/54 GR	Version
Order No.	<a href="#">1631640002</a>	ClipCard, Accessories, 90 x 58 mm, grey
GTIN (EAN)	4008190465261	
Qty.	20 pc(s).	