

## Klippon TB FS (Terminal Box - Fixing Screw) KTB FS 403020 S4E3

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



### Stainless steel enclosures for use in areas exposed to explosion hazards

The Klippon® TB enclosure range provides excellent performance characteristics, even under the most difficult environmental conditions. In addition, it complies with the stricter requirements of potentially explosive atmospheres found in process or power generation industries.

The new Klippon® TB MH enclosure range offers further improvements to a product line that is already successfully leading the market.

The Klippon® TB FS enclosure range features the following advantages:

- Available in 12 sizes and 3 standard depths
- Equipped with up to 4 gland plates
- The gasket is protected against compression
- Cover lock outside the sealed zone
- Improved temperature performance
- IP66/IP67 protection
- Earthing stud in the cover and base of the enclosure
- Welded mounting feet

### General ordering data

|            |  |
|------------|--|
| Type       | KTB FS 403020 S4E3   |
| Order No.  | <a href="#">1196080000</a>   |
| Version    | Klippon TB FS (Terminal Box - Fixing Screw), Empty enclosure, stainless steel enclosure, Height: 400 mm, Width: 300 mm, Depth: 200 mm, Gland plates: Bottom, left, right, Material: Stainless steel 1.4404 (316L), electropolished, silver |
| GTIN (EAN) | 4032248978854  |
| Qty.       | 1 pc(s).   |

**Klippon TB FS (Terminal Box - Fixing Screw)  
KTB FS 403020 S4E3**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Technical data**
**Dimensions and weights**

|                            |          |                             |             |
|----------------------------|----------|-----------------------------|-------------|
| Width                      | 300 mm   | Width (inches)              | 11.811 inch |
| Height                     | 400 mm   | Height (inches)             | 15.748 inch |
| Depth                      | 200 mm   | Depth (inches)              | 7.874 inch  |
| Mounting dimension - width | 356 mm   | Mounting dimension - height | 247 mm      |
| Net weight                 | 11,450 g |                             |             |

**Environmental Product Compliance**

REACH SVHC Lead 7439-92-1

**Cable glands, left**

|     |    |     |    |
|-----|----|-----|----|
| M12 | 48 | M16 | 32 |
| M20 | 20 | M25 | 17 |
| M32 | 9  | M40 | 7  |
| M50 | 3  | M63 | 3  |
| M75 | 2  |     |    |

**Cable glands, right**

|     |    |     |    |
|-----|----|-----|----|
| M12 | 48 | M16 | 32 |
| M20 | 20 | M25 | 17 |
| M32 | 9  | M40 | 7  |
| M50 | 3  | M63 | 3  |
| M75 | 2  |     |    |

**Cable glands, top/bottom**

|     |    |     |    |
|-----|----|-----|----|
| M12 | 38 | M16 | 26 |
| M20 | 17 | M25 | 14 |
| M32 | 7  | M40 | 6  |
| M50 | 3  | M63 | 2  |
| M75 | 2  |     |    |

**Certificate numbers enclosure**

|   |                      |  |                      |
|---|----------------------|--|----------------------|
| Certificate no. assembled enclosure (ATEX)    | IBExU14ATEX1050      | Certificate no. empty enclosure (ATEX)       | IBExU14ATEX1028 U    |
| Certificate no. assembled enclosure (IECEX)   | IECEXIBE14.0013      | Certificate no. empty enclosure (IECEX)      | IECEX IBE 14.0004U   |
| Certificate no., assembled enclosure (EAC)    | RU C-DE.ГБ08.B.01328 | Certificate no., empty enclosure (EAC)       | RU C-DE.ГБ08.B.00472 |
| Certificate no. assembled enclosure (INMETRO) | IEx 17.0021          | Certificate no. empty enclosure (INMETRO)    | IEx 17.0020U         |
| Certificate no. assembled enclosure (AEx)     | E223792              | Certificate no. empty enclosure (NEPSI)      | GYJ14.1308U          |
| Certificate no. assembled enclosure (NEPSI)   | GYJ14.1309           | Certificate no., assembled enclosure (KOSHA) | 16-AV4BO-0245X       |
| Certificate no. (cULus)                       | E256877              | Certificate No. (CCOE)                       | CCOEP267536/2        |

## Klippon TB FS (Terminal Box - Fixing Screw) KTB FS 403020 S4E3

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

### Technical data

#### General information

|                              |  |                             |   |
|------------------------------|--|-----------------------------|---|
| AF size 1                    | 10 mm  | Access opening: height      | 370 mm  |
| Access opening: width        |  | Areas of use                | Explosive risk zone,<br>Process industry, Oil and<br>gas industry, Chemical<br>industry, Offshore,<br>Onshore |
|                              | 270 mm   | Installation advice         | Terminal rail / mounting<br>plate   |
| Gland plates                 | Bottom, left, right  | Material thickness of cover | 1.5 mm  |
| Material thickness           | 1.5 mm   | Max. payload                | 48 kg   |
| Material thickness of flange | 3 mm   | Position PE bolts           | Page C  |
| Overall dimensions           | 411 x 381 x 208.5  | Torque for lid screws       |   |
| Standards                    | DIN EN 62208 - Empty<br>enclosure standard,<br>DIN EN 15085-2, EN<br>60079-0, EN 60079-7,<br>EN 60079-31, IEC<br>60079-0, IEC 60079-7,<br>IEC 60079-31 |                             | 2.5 Nm  |
| Material                     | Stainless steel 1.4404<br>(316L)   | Seal material               | Silicone  |
| Surface finish               | electropolished  | Operating temperature, min. | -60 °C  |
| Operating temperature, max.  | 135 °C   | Impact resistance           | 7 J ATEX version, 10 J<br>version standard  |
| Protection degree            |  | Note: protection class      | If used in temperature<br>ranges above 105 °C, IP<br>protection is limited to<br>IP 66.                       |
|                              | IP66, IP67   | Lid attachment              | M6 hex-head slotted<br>screws SW10  |
| Enclosure attachment         | 4 welded-on mounting<br>feet with 11 mm holes (2<br>slotted feet and 2 cross-<br>shaped feet)  |                             |   |
| Integral fixing              | 4, 6 or 9 stud bolts M6<br>inner (female) thread   |                             |   |

#### Housing earth

|                            |  |
|----------------------------|--|
| Earth, enclosure, internal | Welded-on M6 stainless-<br>steel earth stud in<br>enclosure body and lid.,<br>Continuous M10 earth<br>stud in body enclosure |
|----------------------------|--|

#### horizontal assembly

|                             |      |                 |      |
|-----------------------------|------|-----------------|------|
| WDU 10 / ZDU 10             | 2x21 | WDU 16 / ZDU 16 | 2x18 |
| WDU 2,5 / ZDU 2,5 / IDU 2,5 | 3x42 | WDU 35 / ZDU 35 | 1x13 |
| WDU 4 / ZDU 4               | 3x35 | WDU 6 / ZDU 6   | 2x26 |

#### vertical assembly

|                             |      |                 |      |
|-----------------------------|------|-----------------|------|
| WDU 10 / ZDU 10             | 1x32 | WDU 16 / ZDU 16 | 1x26 |
| WDU 2,5 / ZDU 2,5 / IDU 2,5 | 2x62 | WDU 35 / ZDU 35 | 1x20 |
| WDU 4 / ZDU 4               | 2x52 | WDU 6 / ZDU 6   | 1x39 |

**Klippon TB FS (Terminal Box - Fixing Screw)  
KTB FS 403020 S4E3**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data****Classifications**

|             |             |            |             |
|-------------|-------------|------------|-------------|
| ETIM 6.0    | EC002503    | ETIM 7.0   | EC002503    |
| eClass 9.0  | 27-18-05-02 | eClass 9.1 | 27-18-05-02 |
| eClass 10.0 | 27-18-05-02 |            |             |

**Product information**

Product information Minimum order quantity (10 pieces)

**Approvals**


Approvals

**Downloads**

|   |   |
|---|---|
| Approval/Certificate/Document of Conformity | <a href="#">Attestation of Conformity - Klippon TB Empty Enclosures - AoC DE PS261X_160309_001ISS01</a><br><a href="#">EU Declaration of Conformity - Klippon TB Empty Enclosures - DoC DE PS261X_160412_001ISS01</a>   |
| Brochure/Catalogue                          | <a href="#">MB OVERV. PROCESS WD DE</a><br><a href="#">MB KLIPPON ENCL.TECN EN</a><br><a href="#">MB PROCESS EN</a><br><a href="#">FL WIND 2012 EN</a><br><a href="#">FL APPL PROCESS EN</a><br><a href="#">FL SHIPBUILDING 2016 EN</a><br><a href="#">FL RAILWAY 2014 EN</a><br><a href="#">PI KLIPPON TB MH QL EN</a> |
| Engineering Data                            | <a href="#">EPLAN, WSCAD</a>  |
| Engineering Data                            | <a href="#">STEP</a>  |
| Tender specification                        | <a href="#">Klippon TB FS 403020 S4E3_1196080000_DE</a><br><a href="#">Klippon TB FS 403020 S4E3_1196080000_EN</a><br><a href="#">Klippon TB FS 403020 S4E3_1196080000_NL</a>   |
| User Documentation                          | <a href="#">MB KLIPPON ENCL.TECN DE</a><br><a href="#">Assembly guidelines - empty enclosures</a>   |

**Klippon TB FS (Terminal Box - Fixing Screw)  
KTB FS 403020 S4E3**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings****Dimensioned drawing**

## Klippon TB FS (Terminal Box - Fixing Screw) KTB FS 403020 S4E3

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

# Accessories

## Earthing stud



### **Integrate, expand and customise: The ideal expansion for every application**

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

### **Earthing bolt**

Earthing bolts to exchange as a complete component, in two versions – brass and stainless steel.

### General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | PEBZ M10 KTB S4 SET        | Version  |
| Order No.  | <a href="#">1192690000</a> | Klippon TB (Terminal Box), Earthing stud, Miscellaneous, Material: |
| GTIN (EAN) | 4032248974658              | Stainless steel 1.4404, untreated, silver                          |
| Qty.       | 1 pc(s).                   |  |
| Type       | PEBZ M10 KTB BR SET        | Version  |
| Order No.  | <a href="#">1192680000</a> | Klippon TB (Terminal Box), Earthing stud, Miscellaneous, Material: |
| GTIN (EAN) | 4032248974641              | Brass, untreated, silver   |
| Qty.       | 1 pc(s).                   |  |

## 400 x 300mm



### **Integrate, expand and customise: The ideal expansion for every application**

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

### **Mounting plates**

Mounting plates, with and without hole patterns, for longitudinal and transverse mounting of DIN mounting rails or components directly onto the mounting plate.

### General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | KTB MOPL 4030 MSZN H       | Version  |
| Order No.  | <a href="#">2022420000</a> | Klippon TB (Terminal Box), Mounting plate, prepunched, Height:     |
| GTIN (EAN) | 4050118403268              | 345 mm, Width: 239 mm, Depth: 1.5 mm, Material: Sheet steel,       |
| Qty.       | 1 pc(s).                   | galvanized, silver   |
| Type       | KTB MOPL 4030 S2N H        | Version  |
| Order No.  | <a href="#">1257690000</a> | Klippon TB (Terminal Box), Mounting plate, prepunched, Height: 345 |
| GTIN (EAN) | 4050118049350              | mm, Width: 239 mm, Depth: 1.5 mm, Material: Stainless steel 1.4301 |
| Qty.       | 1 pc(s).                   | (304), untreated, silver   |
| Type       | KTB MOPL 4030 S2N          | Version  |
| Order No.  | <a href="#">1193850000</a> | Klippon TB (Terminal Box), Mounting plate, Height: 345 mm, Width:  |
| GTIN (EAN) | 4050118028454              | 239 mm, Depth: 12 mm, Material: Stainless steel 1.4301 (304),      |
| Qty.       | 1 pc(s).                   | untreated, silver  |

## Data sheet

### Klippon TB FS (Terminal Box - Fixing Screw) KTB FS 403020 S4E3

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Accessories

|            |                            |   |
|------------|----------------------------|---|
| Type       | KTB MOPL 4030 MSZN         | Version   |
| Order No.  | <a href="#">1193980000</a> | Klippon TB (Terminal Box), Mounting plate, Height: 345 mm, Width: 239 mm, Depth: 12 mm, Material: Sheet steel, galvanized, silver |
| GTIN (EAN) | 4050118028584              |   |
| Qty.       | 1 pc(s).                   |   |

### with earthing studs



#### **Integrate, expand and customise: The ideal expansion for every application**

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

#### **Flange plates**

Flange plates in two thicknesses, for easy replacement of pre-assembled flange plates on site.

### General ordering data

|            |                            |   |
|------------|----------------------------|---|
| Type       | KTB GP 403020 AB S4 PE     | Version   |
| Order No.  | <a href="#">2023450000</a> | Klippon TB (Terminal Box), flange plate, Height: 290 mm, Width: 167 mm, Depth: 3 mm, Gland plates: top, Bottom, electropolished, silver |
| GTIN (EAN) | 4050118403640              |   |
| Qty.       | 1 pc(s).                   |   |
| Type       | KTB GP 403020 CD S4 PE     | Version   |
| Order No.  | <a href="#">2023480000</a> | Klippon TB (Terminal Box), flange plate, Height: 344 mm, Width: 167 mm, Depth: 3 mm, Gland plates: left, right, electropolished, silver |
| GTIN (EAN) | 4050118403992              |   |
| Qty.       | 1 pc(s).                   |   |

## Klippon TB FS (Terminal Box - Fixing Screw) KTB FS 403020 S4E3

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

# Accessories

## Installation material



### Integrate, expand and customise - the perfect supplement to every application

The fully structured range of system accessories for the new Klippon® TB enclosure series allows you to easily adapt the enclosures to meet the specific requirements of every application.

#### Mounting hardware kits

Mounting hardware kits are available for quick and easy installation of type label holders, document holders and rain hoods.

The **label fastening set – SD** is required to install a plastic (Trafolyte) ID or type label. With the aid of this set you can mount the ID or type label directly on the enclosure cover. The label fastening set has been specially developed for this purpose. Only by using this fastening set can you ensure that there will be no leaks into the enclosure or damage to the label.

The **universal fastening set – TPSD** has been developed to enable secure and quick installation of type label holders, rain covers or document holders, for example. By using this fastening set, the risk of leaks can be minimised, if not avoided.

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | SD FIXING SET              | Version  |
| Order No.  | <a href="#">1285200000</a> | Klippon TB (Terminal Box), Identification plate fixing set, Material:  |
| GTIN (EAN) | 4050118075472              | Stainless steel, rust-proof, untreated, silver                         |
| Qty.       | 1 pc(s).                   |  |
| Type       | TPSD FIXING SET KTB        | Version  |
| Order No.  | <a href="#">1252190000</a> | Klippon TB (Terminal Box), Type plate fixings set, Material: Stainless |
| GTIN (EAN) | 4050118043969              | steel, rust-proof, untreated, silver                                   |
| Qty.       | 1 pc(s).                   |  |

## Document holders



### Integrate, expand and customise - the perfect supplement to every application

The fully structured range of system accessories for the new Klippon® TB enclosure series allows you to easily adapt the enclosures to meet the specific requirements of every application.

#### Document holders

Document holders for the proper storage of documents in the enclosure.

## General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | DOHA KTB A6 S2 R           | Version  |
| Order No.  | <a href="#">1252780000</a> | Klippon TB (Terminal Box), Document holders, Riveted, Height: 110  |
| GTIN (EAN) | 4050118045512              | mm, Width: 130 mm, Depth: 20 mm, Material: Stainless steel 1.4301, |
| Qty.       | 1 pc(s).                   | Mirror polished, silver  |



## Klippon TB FS (Terminal Box - Fixing Screw) KTB FS 403020 S4E3

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Accessories

|            |                            |  |
|------------|----------------------------|--|
| Type       | DOHA KTB A6 S2 W           | Version  |
| Order No.  | <a href="#">1252760000</a> | Klippon TB (Terminal Box), Document holders, welded, Height: 110   |
| GTIN (EAN) | 4050118045130              | mm, Width: 130 mm, Depth: 20 mm, Material: Stainless steel 1.4301, |
| Qty.       | 1 pc(s).                   | Mirror polished, silver  |

### Flange plates made out of stainless steel - 6 mm



#### **Integrate, expand and customise: The ideal expansion for every application**

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

#### **Flange plates**

Flange plates in two thicknesses, for easy replacement of pre-assembled flange plates on site.

### General ordering data

|            |                            |   |
|------------|----------------------------|---|
| Type       | KTB GP 403020 AB S4 6MM    | Version   |
| Order No.  | <a href="#">1256450000</a> | Klippon TB (Terminal Box), flange plate, Height: 290 mm, Width: 167   |
| GTIN (EAN) | 4050118093841              | mm, Depth: 6 mm, Gland plates: top, Bottom, Material: Stainless steel |
| Qty.       | 1 pc(s).                   | 1.4404, electropolished, silver                                       |
| Type       | KTB GP 403020 CD S4 6MM    | Version   |
| Order No.  | <a href="#">1256470000</a> | Klippon TB (Terminal Box), flange plate, Height: 344 mm, Width: 167   |
| GTIN (EAN) | 4050118093858              | mm, Depth: 6 mm, Gland plates: left, right, Material: Stainless steel |
| Qty.       | 1 pc(s).                   | 1.4404, electropolished, silver                                       |

### Mounting plates fastening



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

### General ordering data

|            |                            |  |
|------------|----------------------------|--|
| Type       | GFSC M5X10 TX20 SET        | Version  |
| Order No.  | <a href="#">1274150000</a> | Klippon EBi (Essential Box industrial), Mounting screw, silver |
| GTIN (EAN) | 4050118063820              |  |
| Qty.       | 1 pc(s).                   |  |

**Klippon TB FS (Terminal Box - Fixing Screw)  
KTB FS 403020 S4E3**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Accessories**

**Stainless steel 1.4301**



**Integrate, expand and customise:  
The ideal expansion for every application**

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

**Rain Covers**

The rain cover provides an ideal, additional level of protection for the enclosure if it is installed in unusual climatic zones with, for instance, very heavy rainfall or extreme levels of direct sunlight.

**General ordering data**

|            |                            |   |  |
|------------|----------------------------|---|--|
| Type       | KTB RNHD 403020 R          | Version   |  |
| Order No.  | <a href="#">1281440000</a> | Klippon TB (Terminal Box), Rain hood, Height: 55.9 mm, Width: 305 |  |
| GTIN (EAN) | 4050118072129              | mm, Depth: 211.2 mm, Material: Stainless steel 1.4301, Mirror     |  |
| Qty.       | 1 pc(s).                   | polished, silver  |  |

**TS 35**



**Integrate, expand and customise - the perfect supplement to every application**

The fully structured range of system accessories for the new Klippon® TB enclosure series allows you to easily adapt the enclosures to meet the specific requirements of every application.

The following options are available:

- Document holders
- Flange plates
- Mounting plates
- Locking systems
- Type label holders
- Rain hoods
- Earthing studs

**General ordering data**

|            |                            |  |  |
|------------|----------------------------|--|--|
| Type       | TS35X7.5 ST KTB4030 VER    | Version  |  |
| Order No.  | <a href="#">8000006712</a> | Rail, TS 35, TS 35 x 7.5, Length: 345 mm, without slot, Steel, |  |
| GTIN (EAN) | 4050118652857              | galvanized, chromium-plated                                    |  |
| Qty.       | 20 pc(s).                  |  |  |
| Type       | TS35X7.5 ST KTB4030 HOR    | Version  |  |
| Order No.  | <a href="#">8000006723</a> | Rail, TS 35, TS 35 x 7.5, Length: 239 mm, without slot, Steel, |  |
| GTIN (EAN) | 4050118652918              | galvanized, chromium-plated                                    |  |
| Qty.       | 20 pc(s).                  |  |  |

## Klippon TB FS (Terminal Box - Fixing Screw) KTB FS 403020 S4E3

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Accessories

### without earthing studs



#### **Integrate, expand and customise: The ideal expansion for every application**

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

#### **Flange plates**

Flange plates in two thicknesses, for easy replacement of pre-assembled flange plates on site.

### General ordering data

|            |                            |   |
|------------|----------------------------|---|
| Type       | KTB GP 403020 CD S4        | Version   |
| Order No.  | <a href="#">1281060000</a> | Klippon TB (Terminal Box), flange plate, Height: 344 mm, Width: 167   |
| GTIN (EAN) | 4050118071856              | mm, Depth: 3 mm, Gland plates: left, right, Material: Stainless steel |
| Qty.       | 1 pc(s).                   | 1.4404, electropolished, silver                                       |
| Type       | KTB GP 403020 AB S4        | Version   |
| Order No.  | <a href="#">1281050000</a> | Klippon TB (Terminal Box), flange plate, Height: 290 mm, Width: 167   |
| GTIN (EAN) | 4050118071535              | mm, Depth: 3 mm, Gland plates: top, Bottom, Material: Stainless steel |
| Qty.       | 1 pc(s).                   | 1.4404, electropolished, silver                                       |

### Stainless steel 1.4404 (316L)



#### **Integrate, expand and customise: The ideal expansion for every application**

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

#### **Rain Covers**

The rain cover provides an ideal, additional level of protection for the enclosure if it is installed in unusual climatic zones with, for instance, very heavy rainfall or extreme levels of direct sunlight.

### General ordering data

|            |                            |   |
|------------|----------------------------|---|
| Type       | KTB RNHD 403020 S4E R      | Version   |
| Order No.  | <a href="#">1314180000</a> | Klippon TB (Terminal Box), Rain hood, Height: 55.9 mm, Width: 305 |
| GTIN (EAN) | 4050118117486              | mm, Depth: 211.2 mm, Material: Stainless steel 1.4404 (316L),     |
| Qty.       | 1 pc(s).                   | electropolished, silver   |

**Klippon TB FS (Terminal Box - Fixing Screw)  
KTB FS 403020 S4E3**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Accessories**
**Ratings plate holder**

**Integrate, expand and customise:**
**The ideal expansion for every application**

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

**Nameplate holders**

There are a variety of designed label holders available for prominent display as required and for additional nameplates as needed.

**General ordering data**

|            |                            |  |
|------------|----------------------------|--|
| Type       | TPSDHA KTB 70X70M3 S2 R    | Version  |
| Order No.  | <a href="#">1279320000</a> | Klippon TB (Terminal Box), Ratings plate holder, Riveted, Height: 70 |
| GTIN (EAN) | 4050118070101              | mm, Width: 70 mm, Depth: 20 mm, Material: Stainless steel 1.4301,    |
| Qty.       | 1 pc(s).                   | Mirror polished, silver  |
| Type       | TPSDHA KTB 100X25 S2 2R    | Version  |
| Order No.  | <a href="#">1257640000</a> | Klippon TB (Terminal Box), Ratings plate holder, Riveted, Height:    |
| GTIN (EAN) | 4050118070354              | 25 mm, Width: 141 mm, Depth: 16.5 mm, Material: Stainless steel      |
| Qty.       | 1 pc(s).                   | 1.4301, Mirror polished, silver                                      |
| Type       | TPSDHA KTB 130X50 S2 R     | Version  |
| Order No.  | <a href="#">1283450000</a> | Klippon TB (Terminal Box), Ratings plate holder, Riveted, Height:    |
| GTIN (EAN) | 4050118073621              | 50 mm, Width: 171 mm, Depth: 16.5 mm, Material: Stainless steel      |
| Qty.       | 1 pc(s).                   | 1.4301, Mirror polished, silver                                      |