

**Clamping yoke  
KLBUE 10-20 CPF16**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Product image**

Similar to illustration

**Shielding and earthing**

Our protective earth conductor and shielding terminals featuring different connection technologies allow you to effectively protect both people and equipment from interference, such as electrical or magnetic fields. A comprehensive range of accessories rounds off our range.

**General ordering data**

Type	KLBUE 10-20 CPF16
Order No.	<a href="#">1252550000</a>
Version	Clamping yoke, Clamping yoke for shield connection
GTIN (EAN)	4050118104431
Qty.	10 pc(s).

**Clamping yoke  
KLBUE 10-20 CPF16**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data****Dimensions and weights**

Width	25 mm	Width (inches)	0.984 inch
Height	26 mm	Height (inches)	1.024 inch
Depth	39.5 mm	Depth (inches)	1.555 inch
Mounting dimension - width	24 mm	Net weight	43.3 g

**Temperatures**

Storage temperature, max.	40 °C	Storage temperature, min.	10 °C
Storage temperature	10 °C...40 °C		

**Material data**

Colour	grey
--------	------

**System specifications**

Rail	TS 27
------	-------

**Additional technical data**

Explosion-tested version	No
--------------------------	----

**Conductors for clamping (rated connection)**

Cable diameter, max.	20 mm	Cable diameter, min.	10 mm
----------------------	-------	----------------------	-------

**Classifications**

ETIM 6.0	EC002020	ETIM 7.0	EC002020
eClass 9.0	27-14-11-50	eClass 9.1	27-14-11-50
eClass 10.0	27-14-11-50		

**Approvals**

Approvals



ROHS	Conform
------	---------

**Downloads**

Brochure/Catalogue	<a href="#">CAT 1 TERM 16/17 EN</a>
Engineering Data	<a href="#">EPLAN, WSCAD</a>
Engineering Data	<a href="#">STEP</a>
User Documentation	<a href="#">Beipackzettel_KLBUE.pdf</a> <a href="#">StorageConditionsTerminalBlocks</a>