

**Klippon TB (Terminal Box)
TPSDHA KTB 70X70M3 S2 R**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

**Integrate, expand and customise:****The ideal expansion for every application**

The consistent structure of accessories for the new Klippon® TB enclosure range means that you can easily adapt the enclosure to the specific requirements of each application.

Nameplate holders

There are a variety of designed label holders available for prominent display as required and for additional nameplates as needed.

General ordering data

Type	TPSDHA KTB 70X70M3 S2 R
Order No.	1279320000
Version	Klippon TB (Terminal Box), Ratings plate holder, Riveted, Height: 70 mm, Width: 70 mm, Depth: 20 mm, Material: Stainless steel 1.4301, Mirror polished, silver
GTIN (EAN)	4050118070101
Qty.	1 pc(s).

Creation date May 2, 2020 10:19:33 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

Data sheet

Klippon TB (Terminal Box) TPSDHA KTB 70X70M3 S2 R

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	70 mm	Width (inches)	2.756 inch
Height	70 mm	Height (inches)	2.756 inch
Depth	20 mm	Depth (inches)	0.787 inch
Net weight	52 g		

General information

Material thickness	1 mm	Material	Stainless steel 1.4301
Surface finish	Mirror polished	Note: protection class	The attachment is done outside the sealed area of the housing. The angle bracket is provided with two 3.3 mm diameter holes. The holes in the housing are to be made by the customer. The attachment can be done using 3.3 mm rivets or M3 screws. The respective ratings plate is fastened to the angle bracket with M3 nuts. We recommend using M3 self-locking nuts.

General information on accessories

Material	Stainless steel 1.4301	Material thickness	1 mm
Surface finish	Mirror polished		

Classifications

ETIM 6.0	EC002626	ETIM 7.0	EC002626
eClass 9.0	27-18-28-16	eClass 9.1	27-18-92-90
eClass 10.0	27-18-28-16		

Approvals

ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN_WSCAD
Engineering Data	STEP