

## MetalliCard CC-M 27/18 AL

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

### General ordering data

|                    |   |
|--------------------|---|
| Type               | CC-M 27/18 AL                                     |
| Order No.          | <a href="#">1327630000</a>                        |
| Version            | MetalliCard, Device markers, 26.8 x 18 mm, silver |
| GTIN (EAN)         | 4050118132526                                     |
| Qty.               | 200 pc(s).  |
| compatible printer | <a href="#">1324380000</a>                        |

## Data sheet

### MetalliCard CC-M 27/18 AL

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

|            |         |                 |            |
|------------|---------|-----------------|------------|
| Width      | 18 mm   | Width (inches)  | 0.709 inch |
| Height     | 26.8 mm | Height (inches) | 1.055 inch |
| Depth      | 0.5 mm  | Depth (inches)  | 0.02 inch  |
| Net weight | 0.614 g |                 |            |

### General data

|                             |              |                        |                              |
|-----------------------------|--------------|------------------------|------------------------------|
| Colour                      | silver       | Material               | Chrome coated aluminium (AL) |
| Operating temperature range | -55...130 °C | Recommended industries | Energy, Process              |
| Width                       | 18 mm        |                        |                              |

### Classifications

|             |             |            |             |
|-------------|-------------|------------|-------------|
| ETIM 6.0    | EC001288    | ETIM 7.0   | EC001288    |
| eClass 9.0  | 27-40-06-29 | eClass 9.1 | 27-40-06-29 |
| eClass 10.0 | 27-40-06-29 |            |             |

### Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

### Downloads

|                  |  |
|------------------|--|
| Engineering Data | <a href="#">EPLAN, WSCAD</a>                   |
| Engineering Data | <a href="#">STEP</a>                           |
| Software         | <a href="#">M-Print PRO configuration file</a> |

**Data sheet**

**MetalliCard  
CC-M 27/18 AL**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Example of use**

---



**MetalliCard  
CC-M 27/18 AL**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Accessories****MetalliCard****Flexible printing on plastic and metal markers**

The PrintJet ADVANCED is an inkjet printer which prints on plastic markers in MultiCard format and metal markers of the MetalliCard family. Thanks to its high loader capacity, it is ideal for printing large volumes in continuous operation. The precise colour printing and thermal fixing guarantee optimum print results for the durable identification of equipment. With these properties, the PrintJet ADVANCED brings efficiency to the operating process – whether operated with the M-Print® PRO software or as a stand-alone solution with preconfigured print templates.

Your benefits at a glance:

- Precise colour printing
- Serial printing of metal markers
- High level of automation thanks to loader capacity of 30 MultiCards
- Durable and robust markers thanks to thermal fixing
- User-friendly operation thanks to intuitive touch display
- Can be used as stand-alone solution

**General ordering data**

|            |                            |
|------------|----------------------------|
| Type       | INLAY CC-M UNIVERSAL       |
| Order No.  | <a href="#">1341120000</a> |
| GTIN (EAN) | 4050118145458              |
| Qty.       | 1 pc(s).                   |

|            |                            |
|------------|----------------------------|
| Type       | PRIMER CC-M                |
| Order No.  | <a href="#">2068020000</a> |
| GTIN (EAN) | 4050118416534              |
| Qty.       | 100 pc(s).                 |

**MetalliCard  
CC-M 27/18 AL**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Accessories**

**Accessories**



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

**General ordering data**

Type INLAY CC-M 27/18  
 Order No. [1341040000](#)  
 GTIN (EAN) 4050118145397  
 Qty. 1 pc(s).

| Type                                 | Version  |
|--------------------------------------|--|
| DKB CC 27/18                         | MetalliCard, Adhesive strip, 27 x 18 mm, Transparent |
| Order No. <a href="#">1341140000</a> |  |
| GTIN (EAN) 4050118145625             |  |
| Qty. 320 pc(s).                      |  |