

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com



MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.



General ordering data

| Туре | INLAY CC-M DIA 30 |
|------------|-------------------|
| Order No. | <u>1341100000</u> |
| GTIN (EAN) | 4050118145199 |
| Qty. | 1 pc(s). |

Creation date May 3, 2020 4:05:54 AM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

Technical data



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

| Width | 76 mm | Width (inches) | 2.992 inch |
|-----------------|--------------------|-----------------|-------------|
| Height | 8 mm | Height (inches) | 0.315 inch |
| Depth | 120 mm | Depth (inches) | 4.724 inch |
| Net weight | 60 g | | |
| General data | | | |
| Version | Holder for 4 signs | Width | 76 mm |
| Classifications | | | |
| | | | |
| ETIM 6.0 | EC001675 | ETIM 7.0 | EC001675 |
| eClass 9.0 | 19-14-92-90 | eClass 9.1 | 19-14-92-90 |
| eClass 10.0 | 19-14-92-90 | | |
| Approvals | | | |
| | | | |
| ROHS | Conform | | |

Drawings

Example of use





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

Concercil ordering date

With hole





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

MetalliCards are available in aluminium or stainless steel to meet a wide range of labelling requirements. The chrome-coated aluminium tags are the inexpensive alternative for a variety of applications, and in particular, they prove themselves through the deep contrasts of their multi-colour print.

In the technologically demanding chemical and process industries, you are on the safe side when using the stainless steel MetalliCard with its outstanding resistance characteristics. Its formats cover the needs of the entire system-identification spectrum. Whether small equipment or type plates, they ensure high-quality marking processes. The MetalliCard also offers optimum installation characteristics. MetalliCards can be used universally thanks to various fixation options: bonding, riveting, with tag holders or rails, or in combination with stainless steel cable ties.

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

| General ordering data | | |
|-----------------------|-------------------|-------------------------------------|
| Туре | CC-M DIA 30 ST | Version |
| Order No. | <u>1327770000</u> | MetalliCard, Device markers, silver |
| GTIN (EAN) | 4050118132632 | |
| Qty. | 200 pc(s). | |
| Туре | CC-M DIA 30 AL | Version |
| Order No. | <u>1327750000</u> | MetalliCard, Device markers, silver |
| GTIN (EAN) | 4050118132625 | |
| Qty. | 200 pc(s). | |

Creation date May 3, 2020 4:05:54 AM CEST