

HSS-HF 1.2-2.4 EL W13M

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



The continuous shrink sleeves of the MultiMark series are printed in seconds using our thermo-transfer printers. The length of the marker can be individually adjusted to suit the number of characters or available space. The required length is pre-perforated precisely using a special blade. With their oval shape the markers can be opened easily, applied quickly and shrunk precisely to fit the conductor. An external reel holder (1302920000) has to be used for reels above 30 m printing material.

General ordering data

| | |
|--------------------|--|
| Type | HSS-HF 1.2-2.4 EL W13M |
| Order No. | 1423330000 |
| Version | Conductor and cable markers, 1.2 - 2.4 mm, x 4.2 mm, white |
| GTIN (EAN) | 4050118227673 |
| Qty. | 1 pc(s). |
| compatible printer | 2599430000 2599440000 1140490000 |

Creation date May 4, 2020 8:43:32 AM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

HSS-HF 1.2-2.4 EL W13M

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|-----------|-----------------|-------------|
| Length | 13,000 mm | Length (inches) | 511.81 inch |
| Width | 4.2 mm | Width (inches) | 0.165 inch |
| Depth | 0.5 mm | Depth (inches) | 0.02 inch |
| Net weight | 86 g | | |

General data

| | | | |
|-----------------|-----------|-----------------------------|---------------|
| Colour | white | Halogen | No |
| Length | 13,000 mm | Material | Polyolefine |
| Number per roll | 1 | Operating temperature range | -55... 105 °C |
| Width | 4.2 mm | | |

Conductor and cable markers

| | | | |
|-------------------------------|----------------------|-----------------------------------|---------------------|
| Conductor O.D. | 1.2 - 2.4 mm | Conductor O.D., max. | 2.4 mm |
| Conductor O.D., min. | 1.2 mm | Conductor cross-section, max. | 0.5 mm ² |
| Conductor cross-section, min. | 0.25 mm ² | Halogen | No |
| Rate of shrinkage | 2:1 | Recommended shrinking temperature | 90 °C |

Classifications

| | | | |
|-------------|-------------|------------|-------------|
| ETIM 6.0 | EC001530 | ETIM 7.0 | EC001530 |
| eClass 9.0 | 27-40-04-01 | eClass 9.1 | 27-40-04-01 |
| eClass 10.0 | 27-40-04-01 | | |

Approvals

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|---|---|
| Approval/Certificate/Document of Conformity | NFX 70-100-1 2006 + NF X 70-100-2 2006 BS EN 45545-2 2013+A1 2015 BS EN ISO 4589-2 1999 |
| Engineering Data | EPLAN_WSCAD |
| Software | M-Print PRO configuration file |

Data sheet

HSS-HF 1.2-2.4 EL W13M

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings



HSS-HF 1.2-2.4 EL W13M

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Accessories

Ink ribbons



Our marking systems can be used to quickly and reliably label connector markers, conductor and cable markers, device markers and labels. The M-Print® PRO software enables rapid and easy identification of your electrical equipment. You can design, label and order your marking materials professionally and quickly. Frames, barcodes, graphics or photos are easily incorporated. The versatile data conversion routines enable quick and flexible data integration. The Weidmüller PrintJet ADVANCED, MCP Plus and MCP Basic printers and the THM series printers are available for printing.

General ordering data

| | | | |
|------------|----------------------------|------------|--|
| Type | RIBBON HSS HF EL 40/300 | Version | |
| Order No. | 1426210000 | Ink ribbon | |
| GTIN (EAN) | 4050118228823 | | |
| Qty. | 1 pc(s). | | |

Accessories / replacement parts



Our marking systems can be used to quickly and reliably label connector markers, conductor and cable markers, device markers and labels. The M-Print® PRO software enables rapid and easy identification of your electrical equipment. You can design, label and order your marking materials professionally and quickly. Frames, barcodes, graphics or photos are easily incorporated. The versatile data conversion routines enable quick and flexible data integration. The Weidmüller PrintJet ADVANCED, MCP Plus and MCP Basic printers and the THM series printers are available for printing.

General ordering data

| | |
|------------|----------------------------|
| Type | THM MMP ROLLER 25 |
| Order No. | 1357430000 |
| GTIN (EAN) | 4050118160253 |
| Qty. | 1 pc(s). |
| Type | THM MMP ROLLER 115 |
| Order No. | 1357420000 |
| GTIN (EAN) | 4050118160314 |
| Qty. | 1 pc(s). |
| Type | MM PLUS ROLLER 110 |
| Order No. | 2672590000 |
| GTIN (EAN) | 4050118708097 |
| Qty. | 1 pc(s). |