

## cable lug, terminal end VEI/1,5-2,5

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



### Insulated cable connector in PVC or PC/PA

- Conventional designs
- Not soldered
- With conical entry funnel, except for joint connector

### General ordering data

Type	VEI/1,5-2,5
Order No.	<a href="#">1491580000</a>
Version	cable lug, terminal end, Insulated cable connector, 1.5 mm <sup>2</sup> - 2.5 mm <sup>2</sup>
GTIN (EAN)	4050118300970
Qty.	100 pc(s).

Creation date May 4, 2020 4:30:57 AM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

**cable lug, terminal end  
VEI/1,5-2,5**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

Net weight	0.88 g
------------	--------

**Connectors**

Conductor cross-section, max.	2.5 mm <sup>2</sup>	Conductor cross-section, min.	1.5 mm <sup>2</sup>
Identification colour	blue transparent	Inside diameter of collar (d4)	6.4 mm
Inside diameter of shaft (d1)	2.3 mm	Insulation	Fully insulated
Length 1 (l1)	15.4 mm	Length 2 (l2)	8 mm <sup>2</sup>
Material/plastic	PA		

**Classifications**

ETIM 6.0	EC001059	ETIM 7.0	EC001059
eClass 9.0	27-40-02-12	eClass 9.1	27-40-02-12
eClass 10.0	27-40-02-12		

**Approvals**

ROHS	Conform
------	---------

**Downloads**

Brochure/Catalogue	<a href="#">CAT 6 TOOLS 15/16 EN</a>
--------------------	--------------------------------------

**Data sheet****cable lug, terminal end  
VEI/1,5-2,5**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**