

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com





The RockStar® HighPower system, with its completely newly developed and coordinated

components in three and four pin versions, represents a novel product solution for pluggable energy transmission – failure-free

The RockStar® HighPower system has a modular design and offers the customer a multitude of product solutions for all kinds of application sites and requirements.

The RockStar® HighPower end-wall connector is impactresistant, water and dust-proof and was built to comply with DIN EN 61373 CAT 1b (bogie) requirements. The overall structure has been adapted to the confined

space of wagon-to-wagon coupling - small, light and powerful

General ordering data

| Туре | HDC HP550 KIT 3M185 |
|------------|--|
| Order No. | <u>1506850000</u> |
| Version | HDC kits, 1500 V, 550 A, Number of poles: 3, |
| | Crimp connection |
| GTIN (EAN) | 4050118315370 |
| Qty. | 1 pc(s). |
| | |

Creation date May 4, 2020 2:34:42 AM CEST

Technical data



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

| Net weight | 2,408.33 g | | |
|----------------------|--------------------------|---|----------------|
| Temperatures | | | |
| Limit temperature | -40 °C 120 °C | | |
| Environmental Produc | | | |
| | | | |
| REACH SVHC | Lead 7439-92-1 | | |
| General data | | | |
| Colour | black (similar to RAL | Contact material | |
| Coloui | 9005) | | Copper alloy |
| Enclosure material | Aluminium diecast | Seal material | EPDM |
| Series | HighPower | Surface finish | Powder coating |
| Type of connection | Crimp connection | | |
| Classifications | | | |
| | | | |
| ETIM 6.0 | EC002641 | ETIM 7.0 | EC002641 |
| eClass 9.0 | 27-44-03-06 | eClass 9.1 | 27-44-01-90 |
| eClass 10.0 | 27-44-03-06 | | |
| Approvals | | | |
| Approvals | | | |
| | | | |
| ROHS | Conform | | |
| Downloads | | | |
| | | | |
| Brochure/Catalogue | FL FIELDWIRING EN | | |
| Engineering Data | EPLAN | | |
| Engineering Data | STEP | | |
| User Documentation | | 4_BPZ_HDC_HP_STGH_ICX_web.p T_3M185_00_BLATT.pdf | <u>df</u> |

Accessories

Cable glands





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

With blueglobe®, Weidmüller has introduced a cable gland from Pflitsch into its portfolio that convinces both in terms of reliability and functionality. A large sealing range from 1.5 to 77 mm thanks to removable inlets with just 11 cable glands, highly effective sealing, excellent strain relief and a grooveguided upstream O-ring – these are the features of the blueglobe® cable glands which Weidmüller offers in brass and stainless steel. The heart of the blueglobe® cable gland is the spherical

seal insert that squeezes the cable gland is the spherical area. This permanently avoids the incisive notch effect that is common with lamella systems.

General ordering data

| Туре | VGM40-SS68 20-32 BG | Version |
|------------|-------------------------|--|
| Order No. | <u>1193590000</u> | Heavy-duty connectors, Accessories, Cable glands, Stainless steel |
| GTIN (EAN) | 4032248976614 | 1.4305 (303) |
| Qty. | 10 pc(s). | |
| Туре | VGM40-MS68 20-32 BG | Version |
| Type | V01V140-1V1300 20-32 D0 | Version |
| Order No. | <u>1193620000</u> | Heavy-duty connectors, Accessories, Cable glands, Brass, nickel-plated |
| | | |

Accessories



Accessories especially suitable for the demands of wagon-to-wagon coupling have been developed for the HighPower end-wall connectors and thus significantly enhance the added value of the plug-in connectors. Easy-to-install coding pins ensure reverse polarity protection, plastic cover caps provide sufficient dust protection, while aluminium covers are designed to be absolutely water and dust-proof. The accessories intelligently round off the overall system.

General ordering data

| Type HDC HP550 CP Version Order No. 1475840000 HDC enclosures GTIN (EAN) 4050118282511 | |
|---|--|
| GTIN (EAN) 4050118282511 | |
| | |
| $O_{\rm TM}$ = 200 pc/s) | |
| Qty. 200 pc(s). | |
| Type HDC HP SUKA 1P 550A Version | |
| Order No. <u>1479130000</u> HDC enclosures | |
| | |
| GTIN (EAN) 4050118373608 | |

Accessories

Housings



Weidmüller 🟵

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

The protective housing is manufactured from seawaterresistant aluminium using pressure die casting. High standards of water and dust protection, as well as particularly high impact resistance, are the hallmarks of this housing series. A sophisticated two-stage surface coating ensures years

of reliability. All screws, crimp contacts and other exterior accessory parts are made of corrosion-resistant stainless steel.

General ordering data

| Туре | HDC HP550 ABGH BG | Version |
|------------|-------------------|---|
| Order No. | <u>1475700000</u> | HDC enclosures, 1500 V, Screw connection |
| GTIN (EAN) | 4050118282313 | |
| Qty. | 1 pc(s). | |
| Туре | HDC HP550 ABGH 1P | Version |
| Order No. | <u>1535420000</u> | HDC enclosures, 1500 V, 550 A, Number of poles: 1 |
| GTIN (EAN) | 4050118339444 | |
| Qty. | 1 pc(s). | |