

SAIE-M12B-4-1.0U-M16**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



Various build-in connectors are required for the connections on the device side of the sensor/actuator cabling. These are available in the versions M12, M8 and M5.

General ordering data

Type	SAIE-M12B-4-1.0U-M16
Order No.	1513040000
Version	Built-in plugs, M12, Female socket, straight, M 16, Number of poles: 4, Front mounting
GTIN (EAN)	4050118320558
Qty.	1 pc(s).

Creation date May 4, 2020 2:16:08 AM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

SAIE-M12B-4-1.0U-M16**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

Technical data**Dimensions and weights**

Net weight 35 g

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Standards

Connector standard	IEC 61076-2-101	Certificate No. (cURus)	E307231
Certificate no. (cULus)	E307231		

General data

Cable glands	M 16	Coding	A
Conductor O.D.	-	Connection thread	M12
Contact surface	Gold-plated	Housing main material	Zinc diecast
Number of poles	4	Plugging cycles	≥ 100
Protection degree	IP67, when screwed in	Strand / cable length	1 m

Classifications

ETIM 6.0	EC002635	ETIM 7.0	EC003570
eClass 9.0	27-44-01-03	eClass 9.1	27-44-01-03
eClass 10.0	27-44-01-03		


Approvals

Approvals



ROHS Conform

DownloadsBrochure/Catalogue [FL FIELDWIRING EN](#)

Data sheet**SAIE-M12B-4-1.0U-M16****Weidmüller Interface GmbH & Co. KG**
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com**Drawings****Wiring diagram****Pole scheme**