

## Klippon POK (polyester empty enclosure) POK MOPL 2560 MINI

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



Similar to illustration

### Integrate, expand and customise - the perfect supplement to every application

The consistent structure of system accessories for the Klippon® POK enclosure range allows you to easily adapt the enclosure to meet the specific requirements of every application.

The range includes:

- Mounting plates
- Earthing plates
- Mounting feet

Our assembly service includes the delivery of the enclosure ready to be connected and suitable for every application.

### General ordering data

Type	POK MOPL 2560 MINI
Order No.	<a href="#">1534430000</a>
Version	Klippon POK (polyester empty enclosure), Mounting plate, Height: 203 mm, Width: 583 mm, Depth: 1.5 mm, Material: Sheet steel, galvanized, galvanized, silver
GTIN (EAN)	4050118338331
Qty.	1 pc(s).

**Klippon POK (polyester empty enclosure)  
POK MOPL 2560 MINI**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Technical data**
**Dimensions and weights**

Width	583 mm	Width (inches)	22.953 inch
Height	203 mm	Height (inches)	7.992 inch
Depth	1.5 mm	Depth (inches)	0.059 inch
Mounting dimension - width	573 mm	Mounting dimension - height	100 mm
Net weight	720 g		

**General information**

Material thickness	1.5 mm	Material	Sheet steel, galvanized
Surface finish	galvanized		

**General information on accessories**

Material	Sheet steel, galvanized	Material thickness	1.5 mm
Mounting dimension - height	100 mm	Mounting dimension - width	573 mm
Surface finish	galvanized		

**Classifications**

ETIM 6.0	EC000213	ETIM 7.0	EC000213
eClass 9.0	27-40-06-39	eClass 9.1	27-18-92-90
eClass 10.0	27-40-06-39		

**Approvals**

Approvals


**Downloads**

Brochure/Catalogue	<a href="#">CAT 5 ENCL 17/18 EN</a>
Engineering Data	<a href="#">EPLAN</a>
Engineering Data	<a href="#">STEP</a>

**Klippon POK (polyester empty enclosure)  
POK MOPL 2560 MINI**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Accessories**

**TS 35**



**Integrate, expand and customise - the perfect supplement to every application**

The consistent structure of system accessories for the Klippon® POK enclosure range allows you to easily adapt the enclosure to meet the specific requirements of every application.

The range includes:

- Mounting plates
- Earthing plates
- Mounting feet

Our assembly service includes the delivery of the enclosure ready to be connected and suitable for every application.

**General ordering data**

Type	TS35X7.5 ST POK 2560	Version
Order No.	<a href="#">8000003914</a>	Rail, TS 35, TS 35 x 7.5, Length: 583 mm, with slot, Steel, galvanized, chromium-plated
GTIN (EAN)	4050118652741	
Qty.	20 pc(s).	