

**CableLine  
CLI C 1-3 GE/SW - CD**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



Similar to illustration

CLI C conductor markers are mounted on unconnected conductors. Four different sizes are available for labelling conductor cross-sections from 0.5 mm<sup>2</sup> to max. 70 mm<sup>2</sup>. The markers are already printed and ready for use. Individual labelling is possible by combining the individual markers.

- Closed markers, reliable and for mounting on unconnected cables
- A special flexible bellow profile ensures a wide application range
- Fast and easy to fit – with minimal effort
- Corresponding accessories make labelling easy
- Permanent, high-quality labelling
- High contrast for optimum legibility

**General ordering data**

Type	CLI C 1-3 GE/SW - CD
Order No.	<a href="#">1568251740</a>
Version	CableLine, Conductor and cable markers, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008 19099 1715
Qty.	500 pc(s).

Creation date May 3, 2020 11:59:49 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

## CableLine CLI C 1-3 GE/SW - CD

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Technical data

### Dimensions and weights

Width	4.2 mm	Width (inches)	0.165 inch
Height	3 mm	Height (inches)	0.118 inch
Depth	5 mm	Depth (inches)	0.197 inch
Net weight	0.08 g		

### General data

Colour	yellow	Colour of printing	black
Halogen	Yes	Material	PVC, soft, without Cadmium
Material colour according to resistance code	4	Operating temperature range	-30...80 °C
Orientation of print	horizontal	Printed characters	Symbols
Printing	-	Printing method	hot-embossing
Recommended industries	Process, Machinery	Type of printing	Standard
UL 94 flammability rating	V-0	Version	CD
Width	4.2 mm		

### Conductor and cable markers

Conductor O.D.	2.5 - 5 mm	Conductor O.D., max.	5 mm
Conductor O.D., min.	2.5 mm	Conductor cross-section, max.	4 mm <sup>2</sup>
Conductor cross-section, min.	1.5 mm <sup>2</sup>	Halogen	Yes

### Classifications

ETIM 6.0	EC001530	ETIM 7.0	EC001530
eClass 9.0	27-40-04-01	eClass 9.1	27-40-04-01
eClass 10.0	27-40-04-01	UNSPSC	44-12-17-08

### Approvals

ROHS	Conform
------	---------

### Downloads

Engineering Data	<a href="#">EPLAN, WSCAD</a>
Product Change Notification	<a href="#">PCN CableLine_DE</a> <a href="#">PCN CableLine_EN</a>

**Data sheet**

**CableLine  
CLI C 1-3 GE/SW - CD**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**



Similar to illustration

## CableLine CLI C 1-3 GE/SW - CD

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Accessories

### 0 - 9



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

### General ordering data

Type	CLI R 1-3 GE/SW 1	Version
Order No.	<a href="#">0572901506</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190036072	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW 7	Version
Order No.	<a href="#">0572901524</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190003470	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW 0	Version
Order No.	<a href="#">0572901503</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190081218	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW 3	Version
Order No.	<a href="#">0572901512</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190168728	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW 8	Version
Order No.	<a href="#">0572901527</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190135003	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW 2	Version
Order No.	<a href="#">0572901509</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190044916	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW 6	Version
Order No.	<a href="#">0572901521</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190116446	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW 5	Version
Order No.	<a href="#">0572901518</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190064945	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW 9	Version
Order No.	<a href="#">0572901530</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190112967	
Qty.	10 pc(s).	

**CableLine  
CLI C 1-3 GE/SW - CD**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Accessories**

**Miscellaneous**



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

**General ordering data**

Type	CLI R 1-3 BL/WS -	Version
Order No.	<a href="#">0572901741</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, blue
GTIN (EAN)	4008190119959	
Qty.	10 pc(s).	
Type	CLI R 1-3 RT/WS +	Version
Order No.	<a href="#">0572901739</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, red
GTIN (EAN)	4008190013691	
Qty.	10 pc(s).	

**Mandrels single**



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

**General ordering data**

Type	CLI R 1 F. CLI C 1-3	Version
Order No.	<a href="#">0532100000</a>	CableLine, Mounting mandrel, 150 x 2.5 mm, blue
GTIN (EAN)	4008190092191	
Qty.	20 pc(s).	

## CableLine CLI C 1-3 GE/SW - CD

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

# Accessories

### internal Colour code



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

### General ordering data

Type	CLI R 1-3 GE/SW 4	Version
Order No.	<a href="#">0572901515</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190090722	
Qty.	10 pc(s).	

### Special characters



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

### General ordering data

Type	CLI R 1-3 GE/SW +	Version
Order No.	<a href="#">0572901738</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4032248307340	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW .	Version
Order No.	<a href="#">0572901749</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190043339	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW /	Version
Order No.	<a href="#">0572901743</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190137434	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW ET	Version
Order No.	<a href="#">0572901745</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190163983	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW -	Version
Order No.	<a href="#">0572901740</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4032248106691	
Qty.	10 pc(s).	

## CableLine CLI C 1-3 GE/SW - CD

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Accessories

### A - Z



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

### General ordering data

Type	CLI R 1-3 GE/SW G	Version
Order No.	<a href="#">0572901650</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190011390	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW S	Version
Order No.	<a href="#">0572901675</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190055004	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW U	Version
Order No.	<a href="#">0572901680</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190007133	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW N	Version
Order No.	<a href="#">0572901664</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190163884	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW E	Version
Order No.	<a href="#">0572901646</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190039738	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW J	Version
Order No.	<a href="#">0572901656</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190124427	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW D	Version
Order No.	<a href="#">0572901644</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190012601	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW X	Version
Order No.	<a href="#">0572901693</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190115142	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW T	Version
Order No.	<a href="#">0572901678</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190014698	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW Z	Version
Order No.	<a href="#">0572901699</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190142681	
Qty.	10 pc(s).	

## CableLine CLI C 1-3 GE/SW - CD

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Accessories

Type	CLI R 1-3 GE/SW R	Version
Order No.	<a href="#">0572901672</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190149277	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW H	Version
Order No.	<a href="#">0572901652</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190170288	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW W	Version
Order No.	<a href="#">0572901684</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190060046	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW V	Version
Order No.	<a href="#">0572901682</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190106751	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW F	Version
Order No.	<a href="#">0572901648</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190147716	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW L	Version
Order No.	<a href="#">0572901660</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190082628	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW A	Version
Order No.	<a href="#">0572901638</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190184278	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW I	Version
Order No.	<a href="#">0572901654</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190029647	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW Q	Version
Order No.	<a href="#">0572901670</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190081102	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW C	Version
Order No.	<a href="#">0572901642</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190184681	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW B	Version
Order No.	<a href="#">0572901640</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190057442	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW Y	Version
Order No.	<a href="#">0572901697</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190140359	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW K	Version
Order No.	<a href="#">0572901658</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190036614	
Qty.	10 pc(s).	

Creation date May 3, 2020 11:59:49 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.



**Data sheet****CableLine  
CLI C 1-3 GE/SW - CD**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Accessories**

Type	CLI R 1-3 GE/SW O	Version
Order No.	<a href="#">0572901666</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190099855	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW M	Version
Order No.	<a href="#">0572901662</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190119195	
Qty.	10 pc(s).	
Type	CLI R 1-3 GE/SW P	Version
Order No.	<a href="#">0572901668</a>	CableLine, Mounting mandrel, 2.5 - 5 mm, 3 x 4.2 mm, yellow
GTIN (EAN)	4008190079833	
Qty.	10 pc(s).	