

## KSW

### KSW 4 16/5,08 17-32

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



Similar to illustration

KSW marking strips are used to identify multi-pole PCB plug-in connectors. Users can print them individually without being confined to a certain pitch.

- Smudge-proof labelling
- Strips 2.5 mm and 4 mm wide
- Simply stick on - finished
- Optimum adhesion
- PVC-free

#### General ordering data

Type	KSW 4 16/5,08 17-32
Order No.	<a href="#">1630160017</a>
Version	KSW, Terminal marker, 4 x 81.3 mm, Pitch in mm (P): 5.08 Weidmueller, white
GTIN (EAN)	4008 190291068
Qty.	10 pc(s).
compatible printer	<a href="#">2430920000</a> <a href="#">2448870000</a>

Creation date May 3, 2020 7:17:40 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

## Data sheet

**KSW**  
**KSW 4 16/5,08 17-32**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Width	81.3 mm	Width (inches)	3.201 inch
Height	4 mm	Height (inches)	0.157 inch
Net weight	1.4 g		

### General data

Adhesive	Acrylate	Application/manufacturer	Weidmueller
Colour	white	Colour of printing	black
Material	Polyester, PVC-free	Material colour according to resistance code	9
Number per sheet	20	Operating temperature range	150 °C
Orientation of print	horizontal	Printed characters	Numbers
Printing	17 - 32	Printing method	Thermotransfer
Type of printing	Standard	Version	Self-adhesive
Width	81.3 mm		

### Classifications

ETIM 6.0	EC000761	ETIM 7.0	EC000761
eClass 9.0	27-14-11-37	eClass 9.1	27-14-11-37
eClass 10.0	27-14-11-37	UNSPSC	30-21-18-07

### Approvals

ROHS	Conform
------	---------

### Downloads

Engineering Data	<a href="#">EPLAN.WSCAD</a>
------------------	-----------------------------