

**VG H (HDC halved cable gland)  
KV 21-M**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



Cable glands for professional use in industrial applications which meet the highest demands in terms of quality and safety. They are available made from polyamide, polystyrene and brass.

**General ordering data**

|            |  |
|------------|--|
| Type       | KV 21-M  |
| Order No.  | <a href="#">1656420000</a>   |
| Version    | VG H (HDC halved cable gland), Cable glands, PG 21, IP65, Brass, nickel-plated |
| GTIN (EAN) | 4008 190409432   |
| Qty.       | 10 pc(s).  |

**VG H (HDC halved cable gland)  
KV 21-M**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Technical data**
**Dimensions and weights**

Net weight 22.3 g

**Environmental Product Compliance**

REACH SVHC Lead 7439-92-1

**General information**

|                                      |                      |                                      |       |
|--------------------------------------|----------------------|--------------------------------------|-------|
| Material                             | Brass, nickel-plated | Cable glands                         | PG    |
| External thread                      | PG 21                | AF size 1                            | 10 mm |
| Protection degree                    | IP65                 | Protection degree with GWDR          | IP65  |
| Operating temperature range, min.    | -20 °C               | Operating temperature range, max.    | 60 °C |
| Notch multi-layer sealing diameter 1 | 10 mm                | Notch multi-layer sealing diameter 2 | 13 mm |
| Notch multi-layer sealing diameter 3 | 16 mm                | Notch multi-layer sealing diameter 4 | 19 mm |
| O-Ring                               | NBR                  |                                      |       |

**Classifications**

|             |             |            |             |
|-------------|-------------|------------|-------------|
| ETIM 6.0    | EC000441    | ETIM 7.0   | EC000441    |
| eClass 9.0  | 27-14-44-32 | eClass 9.1 | 27-14-44-32 |
| eClass 10.0 | 27-14-44-32 |            |             |

**Approvals**

ROHS Conform

**Downloads**

|                    |   |
|--------------------|---|
| Brochure/Catalogue | <a href="#">CAT 3 HDC 17/18 EN</a><br><a href="#">CAT 5 ENCL 17/18 EN</a> |
| Engineering Data   | <a href="#">EPLAN, WSCAD</a>  |