

**VG H (HDC halved cable gland)
KV 29-M**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com



Cable glands for professional use in industrial applications which meet the highest demands in terms of quality and safety. They are available made from polyamide, polystyrene and brass.

General ordering data

Type	KV 29-M
Order No.	1656430000
Version	VG H (HDC halved cable gland), Cable glands, PG 29, IP65, Brass, nickel-plated
GTIN (EAN)	4008 190409449
Qty.	10 pc(s).

VG H (HDC halved cable gland) KV 29-M

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Net weight 37.67 g

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

General information

Material	Brass, nickel-plated	Cable glands	PG
External thread	PG 29	AF size 1	10 mm
Protection degree	IP65	Protection degree with GWDR	IP65
Operating temperature range, min.	-20 °C	Operating temperature range, max.	60 °C
Notch multi-layer sealing diameter 1	18 mm	Notch multi-layer sealing diameter 2	21 mm
Notch multi-layer sealing diameter 3	24 mm	Notch multi-layer sealing diameter 4	27 mm
O-Ring	NBR		

Classifications

ETIM 6.0	EC000441	ETIM 7.0	EC000441
eClass 9.0	27-14-44-32	eClass 9.1	27-14-44-32
eClass 10.0	27-14-44-32		

Approvals

ROHS Conform

Downloads

Brochure/Catalogue	CAT 3 HDC 17/18 EN CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN, WSCAD