

**Clamping yoke
KLBUE 2X2-6**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Product image**Shielding and earthing**

Our protective earth conductor and shielding terminals featuring different connection technologies allow you to effectively protect both people and equipment from interference, such as electrical or magnetic fields. A comprehensive range of accessories rounds off our range.

General ordering data

| | |
|------------|-------------------------------------|
| Type | KLBUE 2X2-6 |
| Order No. | 1675350000 |
| Version | Clamping yoke, Clamping yoke, Steel |
| GTIN (EAN) | 4008 190450083 |
| Qty. | 10 pc(s). |

**Clamping yoke
KLBUE 2X2-6**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data**Dimensions and weights**

| | | | |
|------------|-------|-----------------|------------|
| Width | 15 mm | Width (inches) | 0.591 inch |
| Height | 18 mm | Height (inches) | 0.709 inch |
| Depth | 24 mm | Depth (inches) | 0.945 inch |
| Net weight | 9.9 g | | |

Temperatures

| | | | |
|---------------------------|---------------|---------------------------|-------|
| Storage temperature, max. | 40 °C | Storage temperature, min. | 10 °C |
| Storage temperature | 10 °C...40 °C | | |

Material data

| | | | |
|----------|-------|--------|--------|
| Material | Steel | Colour | silver |
|----------|-------|--------|--------|

System specifications

| | |
|---------|-------------------------|
| Version | For a shield connection |
|---------|-------------------------|

Additional technical data

| | | | |
|--------------------------|---------|---------------------|--------|
| Explosion-tested version | Yes | Installation advice | Busbar |
| Type of fixing | Snap-on | | |

Conductors for clamping (rated connection)

| | | | |
|----------------------|------|----------------------|------|
| Cable diameter, max. | 6 mm | Cable diameter, min. | 2 mm |
|----------------------|------|----------------------|------|

Dimensions

| | |
|-----------------|-------|
| Pitch in mm (P) | 15 mm |
|-----------------|-------|

Classifications

| | | | |
|-------------|-------------|------------|-------------|
| ETIM 6.0 | EC002020 | ETIM 7.0 | EC002020 |
| eClass 9.0 | 27-14-11-50 | eClass 9.1 | 27-14-11-50 |
| eClass 10.0 | 27-14-11-50 | UNSPSC | 30-21-18-01 |

Approvals

Approvals



ROHS Conform

Downloads

| | |
|--------------------|--|
| Brochure/Catalogue | CAT 1 TERM 16/17 EN |
| Engineering Data | EPLAN, WSCAD |
| Engineering Data | STEP |
| User Documentation | Beipackzettel_KLBUE.pdf StorageConditionsTerminalBlocks |

Creation date May 3, 2020 2:50:00 PM CEST


Catalogue status 17.04.2020 / We reserve the right to make technical changes.

Clamping yoke KLBUE 2X2-6

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Accessories

Bus bars



Building installation wiring

For building installations, we offer a complete system that revolves around the 10×3 copper rail and comprises perfectly coordinated components: from installation terminal blocks, neutral conductor terminal blocks and distribution terminal blocks to comprehensive accessories such as busbars and busbar holders.

General ordering data

| | | |
|------------|---------------------------|-----------------------------|
| Type | SSCH 10X3X1000 CU/SN | Version |
| Order No. | 034890000 | Accessories, Busbar, Copper |
| GTIN (EAN) | 4008190024802 | |
| Qty. | 1 m | |

Railholder



Shielding and earthing

Our protective earth conductor and shielding terminals featuring different connection technologies allow you to effectively protect both people and equipment from interference, such as electrical or magnetic fields. A comprehensive range of accessories rounds off our range.

General ordering data

| | | |
|------------|----------------------------|--|
| Type | WSH 3/H/N | Version |
| Order No. | 1715970000 | Accessories, Rail support, Wemid |
| GTIN (EAN) | 4008190353100 | |
| Qty. | 10 pc(s). | |
| Type | WSH 5 | Version |
| Order No. | 1080100000 | Accessories, Rail support, Wemid |
| GTIN (EAN) | 4008190965143 | |
| Qty. | 10 pc(s). | |
| Type | WSH 1 | Version |
| Order No. | 1068700000 | Accessories, Rail support, PA 66 GF 30 |
| GTIN (EAN) | 4008190118389 | |
| Qty. | 10 pc(s). | |
| Type | WSH 6 | Version |
| Order No. | 1080200000 | Accessories, Rail support, Wemid |
| GTIN (EAN) | 4008190965150 | |
| Qty. | 10 pc(s). | |