

**LaserMark
LM MT300 26/10 WS**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



Similar to illustration



- Adhesive polyester labels
- Suitable for A4 laser printers
- Abrasion-resistant
- High heat resistance
- For marking all kinds of switchgear and modules
- Can also be written on with a ballpoint pen or STI marking pen

General ordering data

Type	LM MT300 26/10 WS
Order No.	1686401044
Version	LaserMark, Device markers, 10 x 26 mm, white
GTIN (EAN)	4008 190494018
Qty.	10 pc(s).

Creation date May 3, 2020 2:19:59 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

**LaserMark
LM MT300 26/10 WS**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data
Dimensions and weights

Width	26 mm	Width (inches)	1.024 inch
Height	10 mm	Height (inches)	0.394 inch
Depth	0.08 mm	Depth (inches)	0.003 inch
Net weight	11.3 g		

General data

Adhesive	Acrylate adhesive	Approval acc. to UL 969	Yes
Colour	white	Halogen	No
Material	Polyester, PVC-free	Material colour according to resistance code	9
Number of markers per packaging unit	1,560	Number per sheet	156
Operating temperature range	-40...150 °C	Printing method	Laser print
UL 94 flammability rating	HB	Version	Self-adhesive
Width	26 mm		

Classifications

ETIM 6.0	EC001288	ETIM 7.0	EC001288
eClass 9.0	27-40-06-29	eClass 9.1	27-40-06-29
eClass 10.0	27-40-06-29	UNSPSC	30-21-18-01

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	EPLAN, WSCAD
Engineering Data	STEP
Software	M-Print PRO configuration file

Data sheet

**LaserMark
LM MT300 26/10 WS**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

