

## SwitchMark SM 27/18 K MC NE SI

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



Similar to illustration



SM is a MultiCard marker for labelling control and signalling devices. The tags are clipped into the carriers or attached by means of the adhesive film already fitted to them. Customised tags can be created with the PrintJet PRO, MCP Plus plotter, MCP Basic or MC-Mobilo marking systems.

- Users can quickly produce tags to suit their needs
- No need to stock expensive standard tags
- Highly resistant printing quality when using the PrintJet as a substitute for engraving
- For extreme demands, we recommend the ETO SM protective film
- Holders can be used for the 22-mm-diameter push-buttons from Siemens, ABB, Moeller and Télémécanique

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

### General ordering data

|                     |  |
|---------------------|--|
| Type                | SM 27/18 K MC NE SI  |
| Order No.           | <a href="#">1713760000</a>   |
| Version             | SwitchMark, Device markers, 18 x 27 mm, silver                                   |
| GTIN (EAN)          | 4008190331177  |
| Qty.                | 80 pc(s).  |
| compatible printer  | <a href="#">1324380000</a> <a href="#">2438520000</a> <a href="#">2438510000</a> |
| Alternative product | <a href="#">1073340000</a>   |

## Data sheet

### SwitchMark SM 27/18 K MC NE SI

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

|            |        |                 |            |
|------------|--------|-----------------|------------|
| Width      | 27 mm  | Width (inches)  | 1.063 inch |
| Height     | 18 mm  | Height (inches) | 0.709 inch |
| Depth      | 1 mm   | Depth (inches)  | 0.039 inch |
| Net weight | 1.51 g |                 |            |

### General data

|                             |                            |                           |              |
|-----------------------------|----------------------------|---------------------------|--------------|
| Adhesive                    | Double-sided adhesive tape | Colour                    | silver       |
| Halogen                     | No                         | Material                  | Polyamide 66 |
| Operating temperature range | -40...100 °C               | UL 94 flammability rating | V-2          |
| Version                     | Self-adhesive              | Width                     | 27 mm        |

### Classifications

|             |             |            |             |
|-------------|-------------|------------|-------------|
| ETIM 6.0    | EC001288    | ETIM 7.0   | EC001288    |
| eClass 9.0  | 27-40-06-29 | eClass 9.1 | 27-40-06-29 |
| eClass 10.0 | 27-40-06-29 | UNSPSC     | 30-21-18-01 |

### Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

### Downloads

|                    |  |
|--------------------|--|
| Brochure/Catalogue | <a href="#">CAT 9 IETH 18/19 EN</a>            |
| Engineering Data   | <a href="#">EPLAN, WSCAD</a>                   |
| Engineering Data   | <a href="#">STEP</a>                           |
| Software           | <a href="#">M-Print PRO configuration file</a> |

**Data sheet**

**SwitchMark  
SM 27/18 K MC NE SI**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**



**SwitchMark  
SM 27/18 K MC NE SI**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Accessories**

**Accessories**



SM is a MultiCard marker for labelling control and signalling devices. The tags are clipped into the carriers or attached by means of the adhesive film already fitted to them. Customised tags can be created with the PrintJet PRO, MCP Plus plotter, MCP Basic or MC-Mobilo marking systems.

- Users can quickly produce tags to suit their needs
- No need to stock expensive standard tags
- Highly resistant printing quality when using the PrintJet as a substitute for engraving
- For extreme demands, we recommend the ETO SM protective film
- Holders can be used for the 22-mm-diameter push-buttons from Siemens, ABB, Moeller and Télémécanique

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

**General ordering data**

|            |                            |   |
|------------|----------------------------|---|
| Type       | ETO SM 27/18 TRANSPAR.     | Version   |
| Order No.  | <a href="#">1720590002</a> | SwitchMark, Protective cap, 18 x 27 mm, Transparent |
| GTIN (EAN) | 4008190988005              |   |
| Qty.       | 10 pc(s).                  |   |