

**GWDR PO (flat gasket - polyethylene)
GWDR PG16-PO**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



The range of cable glands is rounded off by a large number of accessories.

General ordering data

Type	GWDR PG16-PO
Order No.	1719480000
Version	GWDR PO (flat gasket - polyethylene), Sealing ring, PG 16, Polyethylene
GTIN (EAN)	4008 190352745
Qty.	100 pc(s).

Creation date May 3, 2020 11:28:02 AM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

Data sheet

GWDR PO (flat gasket - polyethylene) GWDR PG16-PO

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Net weight	0.23 g
------------	--------

General information

Material	Polyethylene	Cable glands	PG
External thread	PG 16	Operating temperature range, min.	-30 °C
Operating temperature range, max.	90 °C	Thickness	2 mm
Inside diameter D2	22.5 mm	Sealing	PE-HD
Diameter of sealing ring	27 mm		

Classifications

ETIM 6.0	EC001181	ETIM 7.0	EC001181
eClass 9.0	27-43-03-19	eClass 9.1	27-14-44-90
eClass 10.0	27-43-03-19	UNSPSC	31-16-18-18

Approvals

ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	CAT 3 HDC 17/18 EN CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN, WSCAD
Engineering Data	STEP

Data sheet

**GWDR PO (flat gasket - polyethylene)
GWDR PG16-PO**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

