

**GWDR PO (flat gasket - polyethylene)
GWDR PG36-PO**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



The range of cable glands is rounded off by a large number of accessories.

General ordering data

Type	GWDR PG36-PO
Order No.	1719510000
Version	GWDR PO (flat gasket - polyethylene), Sealing ring, PG 36, Polyethylene
GTIN (EAN)	4008 190352776
Qty.	50 pc(s).

Creation date May 3, 2020 11:27:32 AM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

Data sheet

GWDR PO (flat gasket - polyethylene) GWDR PG36-PO

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Net weight	1.696 g
------------	---------

General information

Material	Polyethylene	Cable glands	PG
External thread	PG 36	Operating temperature range, min.	-30 °C
Operating temperature range, max.	90 °C	Thickness	3 mm
Inside diameter D2	47 mm	Sealing	PE-HD
Diameter of sealing ring	55 mm		

Classifications

ETIM 6.0	EC001181	ETIM 7.0	EC001181
eClass 9.0	27-43-03-19	eClass 9.1	27-14-44-90
eClass 10.0	27-43-03-19	UNSPSC	31-16-18-18

Approvals

ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	CAT 3 HDC 17/18 EN CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN, WSCAD
Engineering Data	STEP

Data sheet

**GWDR PO (flat gasket - polyethylene)
GWDR PG36-PO**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

