

**GWDR PO (flat gasket - polyethylene)  
GWDR PG48-PO**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



The range of cable glands is rounded off by a large number of accessories.

**General ordering data**

Type	GWDR PG48-PO
Order No.	<a href="#">1719530000</a>
Version	GWDR PO (flat gasket - polyethylene), Sealing ring, PG 48, Polyethylene
GTIN (EAN)	4008 190352790
Qty.	5 pc(s).

Creation date May 3, 2020 11:27:13 AM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

## Data sheet

### GWDR PO (flat gasket - polyethylene) GWDR PG48-PO

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Net weight	3.4 g
------------	-------

### General information

Material	Polyethylene	Cable glands	PG
External thread	PG 48	Operating temperature range, min.	-30 °C
Operating temperature range, max.	90 °C	Thickness	3 mm
Inside diameter D2	59.3 mm	Sealing	PE-HD
Diameter of sealing ring	69 mm		

### Classifications

ETIM 6.0	EC001181	ETIM 7.0	EC001181
eClass 9.0	27-43-03-19	eClass 9.1	27-14-44-90
eClass 10.0	27-43-03-19	UNSPSC	31-16-18-18

### Approvals

ROHS	Conform
------	---------

### Downloads

Brochure/Catalogue	<a href="#">CAT 3 HDC 17/18 EN</a> <a href="#">CAT 5 ENCL 17/18 EN</a>
Engineering Data	<a href="#">EPLAN, WSCAD</a>
Engineering Data	<a href="#">STEP</a>

**Data sheet**

**GWDR PO (flat gasket - polyethylene)  
GWDR PG48-PO**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

