

**GWDR NP (flat gasket - neoprene)  
GWDR PG29-NP**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



The range of cable glands is rounded off by a large number of accessories.

**General ordering data**

Type	GWDR PG29-NP
Order No.	<a href="#">1719600000</a>
Version	GWDR NP (flat gasket - neoprene), Sealing ring, PG 29, Neoprene
GTIN (EAN)	4008 190352868
Qty.	50 pc(s).

Creation date May 3, 2020 11:26:05 AM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

**GWDR NP (flat gasket - neoprene)  
GWDR PG29-NP**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

Net weight 1.52 g

**General information**

Material	Neoprene	Cable glands	PG
External thread	PG 29	Operating temperature range, min.	-40 °C
Operating temperature range, max.	100 °C	Thickness	1.5 mm
Inside diameter D2	37 mm	Diameter of sealing ring	45 mm

**Classifications**

ETIM 6.0	EC001181	ETIM 7.0	EC001181
eClass 9.0	27-43-03-19	eClass 9.1	27-14-44-90
eClass 10.0	27-43-03-19	UNSPSC	31-16-18-18

**Approvals**

ROHS Conform

**Downloads**

Brochure/Catalogue	<a href="#">CAT 3 HDC 17/18 EN</a> <a href="#">CAT 5 ENCL 17/18 EN</a>
Engineering Data	<a href="#">EPLAN, WSCAD</a>
Engineering Data	<a href="#">STEP</a>

**Data sheet**

**GWDR NP (flat gasket - neoprene)**  
**GWDR PG29-NP**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

